

# TABLE OF CONTENTS

<b>About This Textbook</b> .....	xvii	110.13	Mounting and Cooling of Equipment .....	64
<b>How to Use the <i>National Electrical Code</i></b> .....	1	110.14	Conductor Termination and Splicing .....	64
<b>Article 90—Introduction to the <i>National Electrical Code</i></b> .....	7	110.15	High-Leg Conductor Identification .....	69
90.1 Purpose of the NEC .....	7	110.16	Arc-Flash Hazard Warning .....	70
90.2 Scope of the NEC .....	9	110.21	Markings .....	71
90.3 Code Arrangement .....	11	110.22	Identification of Disconnecting Means .....	72
90.4 Enforcement .....	12	110.24	Available Fault Current .....	72
90.5 Mandatory Requirements and Explanatory Material .....	14	110.25	Lockable Disconnecting Means .....	73
90.6 Formal Interpretations .....	14	<b>Part II. 1,000V, Nominal, or Less</b> .....	73	
90.7 Examination of Equipment for Product Safety .....	14	110.26	Spaces About Electrical Equipment .....	73
90.9 Units of Measurement .....	15	110.27	Guarding .....	81
<b>Article 90 Practice Questions</b> .....	16	110.28	Enclosure Types .....	82
<b>CHAPTER 1—GENERAL RULES</b> .....	19	<b>Chapter 1 Practice Questions</b> .....	83	
<b>Article 100—Definitions</b> .....	21	<b>CHAPTER 2—WIRING AND PROTECTION</b> .....	89	
<b>Part I. General</b> .....	21	<b>Article 200—Use and Identification of Grounded [Neutral] Conductors</b> .....	91	
100 Definitions .....	21	<b>Part I. General</b> .....	92	
<b>Article 110—Requirements for Electrical Installations</b> .....	57	200.1 Scope .....	92	
<b>Part I. General Requirements</b> .....	57	200.2 General .....	92	
110.1 Scope .....	57	200.4 Neutral Conductor .....	92	
110.2 Approval of Conductors and Equipment .....	57	200.6 Neutral Conductor Identification .....	93	
110.3 Examination, Identification, Installation, Use, and Product Listing (Certification) of Equipment .....	58	200.7 Use of White or Gray Color .....	95	
110.4 Voltages .....	58	200.9 Terminal Identification .....	96	
110.5 Conductor Material .....	58	200.10 Identification of Terminals .....	96	
110.6 Conductor Sizes .....	59	<b>Article 210—Branch Circuits</b> .....	99	
110.7 Wiring Integrity .....	59	<b>Part I. General Provisions</b> .....	99	
110.8 Suitable Wiring Methods .....	59	210.1 Scope .....	99	
110.9 Interrupting Overcurrent Protection Rating .....	60	210.3 Other Articles .....	100	
<b>Available Short-Circuit Current</b> .....	60	210.4 Multiwire Branch Circuits .....	100	
110.10 Equipment Short-Circuit Current Rating .....	61	210.5 Identification for Branch Circuits .....	103	
110.11 Deteriorating Agents .....	61	210.7 Multiple Branch Circuits .....	104	
110.12 Mechanical Execution of Work .....	63	210.8 GFCI Protection .....	105	
		210.11 Branch Circuits Required .....	112	
		210.12 Arc-Fault Circuit-Interrupter Protection .....	114	

<b>Part II. Branch-Circuit Ratings</b> .....	115	220.52 Dwelling Unit—Small-Appliance and Laundry Load .....	156
210.18 Branch Circuit Rating .....	115	220.53 Dwelling Unit—Appliance Load .....	156
210.19 Conductor Sizing .....	116	220.54 Dwelling Unit—Electric Clothes Dryer Load .....	157
210.20 Overcurrent Protection .....	118	220.55 Electric Ranges and Cooking Appliances in Dwelling Units and Household Cooking Appliances Used in Instructional Programs .....	158
210.21 Receptacle Rating .....	119	220.56 Commercial—Kitchen Equipment Load .....	160
210.22 Permissible Loads, Individual Branch Circuits .....	120	220.60 Noncoincident Loads .....	161
210.23 Permissible Loads, Multiple-Outlet Branch Circuits .....	120	220.61 Feeder/Service Neutral Unbalanced Load .....	161
210.25 Branch Circuits in Buildings with Multiple Occupancies ..	121	<b>Part IV. Optional Calculations for Computing Feeder and Service Loads</b> .....	164
<b>Part III. Required Outlets</b> .....	121	220.82 Dwelling Unit—Optional Load Calculation .....	164
210.50 General .....	121	220.83 Existing Dwelling Unit Calculations .....	165
210.52 Dwelling Unit Receptacle Outlet Requirements .....	122	220.84 Multifamily—Optional Load Calculation .....	166
210.60 Receptacles in Guest Rooms, Guest Suites, Dormitories, and Similar Occupancies .....	130	220.85 Optional Calculation—Two Dwelling Units .....	167
210.63 Heating, Air-Conditioning, and Refrigeration (HACR) Equipment .....	131	220.87 Determining Existing Loads .....	167
210.64 Service Equipment Indoors—Receptacle .....	131	<b>Article 225—Outside Branch Circuits and Feeders</b> .....	169
210.70 Lighting Outlet Requirements .....	132	<b>Part I. General</b> .....	169
210.71 Meeting Rooms .....	135	225.1 Scope .....	169
<b>Article 215—Feeders</b> .....	137	225.2 Other Articles .....	170
215.1 Scope .....	137	225.6 Minimum Size of Conductors .....	170
215.2 Minimum Rating .....	138	225.7 Luminaires Installed Outdoors .....	170
215.3 Overcurrent Protection Sizing .....	141	225.12 Open-Conductor Supports .....	171
215.4 Feeders with Common Neutral Conductor .....	141	225.15 Supports Over Buildings .....	171
215.6 Equipment Grounding Conductor .....	141	225.16 Attachment .....	171
215.10 Ground-Fault Protection of Equipment .....	142	225.17 Masts as Supports .....	171
215.12 Conductor Identification .....	142	225.18 Clearance for Overhead Conductors .....	172
<b>Article 220—Branch-Circuit, Feeder, and Service Load Calculations</b> .....	145	225.19 Clearances from Buildings .....	173
<b>Part I. General</b> .....	145	225.22 Raceways on Exterior Surfaces .....	174
220.1 Scope .....	145	225.26 Trees for Conductor Support .....	174
220.3 Application of Other Articles .....	146	225.27 Raceway Seals .....	175
220.5 Calculations .....	146	225.30 Number of Feeder Supplies .....	175
<b>Part II. Branch-Circuit Load Calculations</b> .....	147	225.31 Disconnecting Means .....	175
220.12 General Lightning .....	147	225.32 Disconnect Location .....	175
220.14 Other Loads—Occupancies .....	148	225.33 Maximum Number of Disconnects .....	177
220.18 Maximum Load on a Branch Circuit .....	152	225.34 Grouping of Disconnects .....	177
<b>Part III. Feeder and Service Calculations</b> .....	153	225.35 Access to Occupants .....	177
220.40 General .....	153	225.36 Type of Disconnecting Means .....	177
220.42 General Lighting Demand Factors .....	153	225.37 Identification of Multiple Feeders .....	178
220.43 Commercial—Show Window and Track Lighting Load ...	154	225.38 Disconnect Construction .....	178
220.44 Other than Dwelling Unit—Receptacle Load .....	155	225.39 Rating of Disconnecting Means .....	178
220.50 Motor Load .....	156		
220.51 Fixed Electric Space-Heating Load .....	156		

<b>Article 230—Services</b> .....	179	<b>Article 240—Overcurrent Protection</b> .....	201
<b>Part I. General</b> .....	180	<b>Part I. General</b> .....	201
230.1 Scope.....	180	240.1 Scope.....	201
230.2 Number of Services.....	180	240.2 Definitions.....	202
230.3 Not to Pass Through a Building.....	181	240.3 Overcurrent Protection of Equipment.....	203
230.6 Conductors Considered Outside a Building .....	181	240.4 Overcurrent Protection of Conductors.....	203
230.7 Service Conductors Separate from Other Conductors .....	182	240.5 Overcurrent Protection of Flexible Cords and Fixture Wires.....	206
230.8 Raceway Seals.....	183	240.6 Standard Ampere Ratings.....	207
230.9 Clearance from Building Openings .....	183	240.10 Supplementary Overcurrent Protection.....	207
230.10 Vegetation as Support .....	183	240.13 Ground-Fault Protection of Equipment.....	208
<b>Part II. Overhead Service Conductors</b> .....	184	240.15 Ungrounded Conductors.....	208
230.23 Overhead Service Conductor Size and Rating.....	184	<b>Part II. Location</b> .....	209
230.24 Vertical Clearance for Overhead Service Conductors .....	185	240.21 Overcurrent Protection Location in Circuit .....	209
230.26 Point of Attachment.....	186	240.24 Location of Overcurrent Protection Devices .....	214
230.27 Means of Attachment .....	186	<b>Part III. Enclosures</b> .....	216
230.28 Service Masts Used as Supports .....	186	240.32 Damp or Wet Locations .....	216
230.29 Supports over Buildings .....	187	240.33 Vertical Position.....	216
<b>Part III. Underground Service Conductors</b> .....	187	<b>Part V. Plug Fuses, Fuseholders, and Adapters</b> .....	217
230.31 Underground Service Conductor Size and Rating.....	187	240.50 General .....	217
230.32 Protection Against Damage .....	188	240.51 Edison-Base Fuses.....	217
<b>Part IV. Service-Entrance Conductors</b> .....	188	240.52 Edison-Base Fuseholders .....	217
230.40 Number of Service-Entrance Conductor Sets.....	188	240.53 Type S Fuses.....	217
230.42 Size and Rating .....	189	240.54 Type S Fuses, Adapters, and Fuseholders.....	217
230.43 Wiring Methods.....	190	<b>Part VI. Cartridge Fuses and Fuseholders</b> .....	218
230.46 Spliced Conductors .....	190	240.60 General .....	218
230.50 Protection Against Physical Damage.....	191	240.61 Classification.....	219
230.51 Cable Supports.....	192	<b>Part VII. Circuit Breakers</b> .....	219
230.53 Raceways to Drain .....	192	240.80 Method of Operation.....	219
230.54 Overhead Service Locations .....	192	240.81 Indicating .....	219
230.56 High-Leg Identification .....	192	240.82 Nontamperable .....	219
230.66 Marking for Service Equipment .....	193	240.83 Markings.....	219
<b>Part VI. Service Equipment—Disconnecting Means</b> .....	194	240.85 Applications .....	220
230.70 Service Disconnect Requirements.....	194	240.87 Arc Energy Reduction.....	221
230.71 Number of Disconnects .....	195	<b>Article 250—Grounding and Bonding</b> .....	223
230.72 Grouping of Disconnects .....	196	<b>Part I. General</b> .....	223
230.76 Manual or Power Operated.....	196	250.1 Scope.....	223
230.77 Indicating .....	196	250.2 Definition.....	223
230.79 Rating of Disconnect .....	197	250.4 Performance Requirements for Grounding and Bonding.....	224
230.81 Connection to Terminals .....	197	<b>Earth Shells</b> .....	228
230.82 Connected on Supply Side of the Service Disconnect .....	197	250.6 Objectionable Current.....	230
<b>Part VII. Service Equipment Overcurrent Protection</b> .....	199		
230.90 Overload Protection.....	199		
230.91 Location .....	200		
230.95 Ground-Fault Protection of Equipment.....	200		

<b>Objectionable Current</b> .....	231	250.97 Bonding Metal Parts Containing 277V and 480V Circuits.....	280
<b>Dangers of Objectionable Current</b> .....	233	250.98 Bonding Loosely Jointed Metal Raceways .....	281
250.8 Termination of Grounding and Bonding Conductors .....	234	250.102 Grounded Conductor, Bonding Conductors, and Jumpers.....	281
250.10 Protection of Fittings .....	235	250.104 Bonding of Piping Systems and Exposed Structural Metal.....	283
250.12 Clean Surfaces.....	235	250.106 Lightning Protection System.....	287
<b>Part II. System Grounding and Bonding</b> .....	235	<b>Part VI. Equipment Grounding and Equipment Grounding Conductors</b> .....	288
250.20 Systems Required to be Grounded .....	235	250.110 Fixed Equipment Connected by Permanent Wiring Methods—General.....	288
250.21 Ungrounded Systems .....	236	250.112 Specific Equipment Fastened in Place or Connected by Permanent Wiring Methods.....	288
250.24 Service Equipment—Grounding and Bonding .....	237	250.114 Cord-and-Plug-Connected Equipment.....	288
250.28 Main Bonding Jumper and System Bonding Jumper .....	241	250.118 Types of Equipment Grounding Conductors .....	289
250.30 Separately Derived Systems—Grounding and Bonding ...	242	250.119 Identification of Equipment Grounding Conductors .....	293
<b>Special Section 250.30 Separately Derived Systems</b> .....	248	250.120 Equipment Grounding Conductor Installation .....	294
<b>Outdoor Installations</b> .....	248	250.121 Use of Equipment Grounding Conductors .....	295
<b>Indoor Installations</b> .....	249	250.122 Sizing Equipment Grounding Conductor .....	295
250.32 Buildings Supplied by a Feeder .....	251	<b>Part VII. Methods of Equipment Grounding</b> .....	299
250.34 Generators—Portable and Vehicle-Mounted.....	253	250.130 Equipment Grounding Conductor Connections.....	299
250.35 Permanently Installed Generators.....	253	250.134 Equipment Connected by Permanent Wiring Methods.....	299
250.36 High-Impedance Grounded Systems .....	254	250.136 Equipment Considered Grounded .....	300
<b>Part III. Grounding Electrode System and Grounding Electrode Conductor</b> .....	254	250.138 Cord-and-Plug-Connected .....	300
250.50 Grounding Electrode System .....	254	250.140 Ranges, Ovens, and Clothes Dryers.....	300
250.52 Grounding Electrode Types.....	255	250.142 Use of Neutral Conductor for Equipment Grounding (Bonding).....	301
250.53 Grounding Electrode Installation Requirements .....	258	250.146 Connecting Receptacle Grounding Terminal to Metal Enclosure .....	302
<b>Measuring the Ground Resistance</b> .....	262	250.148 Continuity and Attachment of Equipment Grounding Conductors in Metal Boxes.....	305
<b>Soil Resistivity</b> .....	263	<b>Article 285—Surge Protective Devices (SPDs)</b> .....	307
250.54 Auxiliary Grounding Electrodes.....	263	<b>Part I. General</b> .....	308
250.58 Common Grounding Electrode.....	264	285.1 Scope.....	308
250.60 Lightning Protection Electrode.....	264	285.3 Uses Not Permitted.....	308
250.62 Grounding Electrode Conductor.....	265	285.4 Number Required .....	308
250.64 Grounding Electrode Conductor Installation .....	266	285.6 Listing.....	308
250.66 Sizing Grounding Electrode Conductor.....	270	285.7 Short-Circuit Current Rating .....	309
250.68 Termination to the Grounding Electrode.....	271	<b>Part II. Installation</b> .....	309
250.70 Grounding Electrode Conductor Termination Fittings.....	273	285.11 Location .....	309
<b>Part IV. Grounding Enclosure, Raceway, and Service Cable Connections</b> .....	274	285.12 Routing of Conductors.....	309
250.80 Service Raceways and Enclosures .....	274	285.13 Type 4 and Other Component Type SPDs.....	309
250.86 Other Enclosures.....	274		
<b>Part V. Bonding</b> .....	274		
250.90 General .....	274		
250.92 Bonding Equipment for Services.....	275		
250.94 Bonding Communications Systems .....	278		
250.96 Bonding Other Enclosures .....	279		

<b>Part III. Connecting Surge Protective Devices</b> .....	309	310.106 Conductors.....	370
285.23 Type 1 SPD—Line Side of Service Equipment.....	309	310.110 Conductor Identification .....	371
285.24 Type 2 SPD—Feeder Circuits .....	311		
285.25 Type 3 SPDs—Branch Circuits.....	311	<b>Article 312—Cabinets, Cutout Boxes, and Meter Socket Enclosures</b> .....	373
<b>Chapter 2 Practice Questions</b> .....	312	<b>Part I. Scope and Installation</b> .....	373
		312.1 Scope.....	373
<b>CHAPTER 3—WIRING METHODS AND MATERIALS</b> .....	319	312.2 Damp or Wet Locations .....	373
		312.3 Installed in Walls .....	374
<b>Article 300—General Requirements for Wiring Methods and Materials</b> .....	323	312.4 Repairing Gaps.....	374
<b>Part I. General</b> .....	323	312.5 Enclosures .....	374
300.1 Scope.....	323	312.6 Deflection of Conductors .....	376
300.3 Conductors.....	324	312.8 Overcurrent Protection Device Enclosures .....	376
300.4 Protection Against Physical Damage.....	327		
300.5 Underground Installations.....	330	<b>Article 314—Outlet, Device, Pull, and Junction Boxes; Conduit Bodies; and Handhole Enclosures</b> .....	379
300.6 Protection Against Corrosion and Deterioration.....	336	<b>Part I. Scope and General</b> .....	379
300.7 Raceways Exposed to Different Temperatures .....	337	314.1 Scope.....	379
300.8 Not Permitted in Raceways .....	338	314.3 Nonmetallic Boxes.....	379
300.9 Raceways in Wet Locations Above Grade.....	338	314.4 Metal Boxes .....	380
300.10 Electrical Continuity.....	338	<b>Part II. Installation</b> .....	380
300.11 Securing and Supporting.....	339	314.15 Damp or Wet Locations .....	380
300.12 Mechanical Continuity .....	341	314.16 Number of Conductors in Boxes and Conduit Bodies .....	381
300.13 Splices and Pigtails .....	341	314.17 Conductors That Enter Boxes or Conduit Bodies .....	386
300.14 Length of Free Conductors .....	343	314.20 Flush-Mounted Box Installations.....	387
300.15 Boxes or Conduit Bodies.....	343	314.21 Repairing Noncombustible Surfaces.....	388
300.16 Raceway or Cable to Open or Concealed Wiring .....	346	314.22 Surface Extensions.....	388
300.17 Raceway Sizing.....	346	314.23 Support of Boxes and Conduit Bodies.....	388
300.18 Inserting Conductors in Raceways.....	348	314.25 Covers and Canopies.....	391
300.19 Supporting Conductors in Vertical Raceways .....	348	314.27 Outlet Box .....	392
300.20 Induced Currents in Ferrous Metal Enclosures and Raceways .....	349	314.28 Sizing Conductors 4 AWG and Larger .....	394
300.21 Spread of Fire or Products of Combustion .....	350	314.29 Wiring to be Accessible .....	397
300.22 Wiring in Ducts and Plenum Spaces.....	351	314.30 Handhole Enclosures.....	398
300.23 Panels Designed to Allow Access .....	355		
		<b>Article 320—Armored Cable (Type AC)</b> .....	401
<b>Article 310—Conductors for General Wiring</b> .....	357	<b>Part I. General</b> .....	401
<b>Part I. General</b> .....	357	320.1 Scope.....	401
310.1 Scope.....	357	320.2 Definition.....	401
<b>Part II. Installation</b> .....	357	320.6 Listing Requirements .....	402
310.10 Uses Permitted.....	357	<b>Part II. Installation</b> .....	402
310.15 Conductor Ampacity .....	361	320.10 Uses Permitted.....	402
<b>Part III. Construction Specifications</b> .....	370	320.12 Uses Not Permitted.....	402
310.104 Conductor Construction and Application .....	370	320.15 Exposed Work .....	402
		320.17 Through or Parallel to Framing Members.....	402



342.2	Definition.....	433	348.30	Securing and Supporting.....	447
342.6	Listing Requirements .....	434	348.42	Fittings.....	448
<b>Part II. Installation.....</b>		<b>434</b>	348.60	Grounding and Bonding.....	448
342.10	Uses Permitted.....	434	<b>Article 350—Liquidtight Flexible Metal Conduit (Type LFMC) .....</b>		<b>451</b>
342.14	Dissimilar Metals.....	434	<b>Part I. General .....</b>		<b>451</b>
342.20	Trade Size .....	434	350.1	Scope.....	451
342.22	Number of Conductors .....	434	350.2	Definition.....	451
342.24	Bends.....	435	350.6	Listing Requirements .....	452
342.26	Number of Bends (360°) .....	435	<b>Part II. Installation.....</b>		<b>452</b>
342.28	Reaming.....	435	350.10	Uses Permitted.....	452
342.30	Securing and Supporting.....	435	350.12	Uses Not Permitted.....	452
342.42	Couplings and Connectors.....	437	350.20	Trade Size .....	452
342.46	Bushings.....	437	350.22	Number of Conductors .....	453
<b>Article 344—Rigid Metal Conduit (Type RMC) .....</b>		<b>439</b>	350.24	Bends.....	453
<b>Part I. General .....</b>		<b>439</b>	350.26	Number of Bends (360°) .....	453
344.1	Scope.....	439	350.28	Trimming.....	453
344.2	Definition.....	439	350.30	Securing and Supporting.....	453
344.6	Listing Requirements .....	440	350.42	Fittings.....	454
<b>Part II. Installation.....</b>		<b>440</b>	350.60	Grounding and Bonding.....	454
344.10	Uses Permitted.....	440	<b>Article 352—Rigid Polyvinyl Chloride Conduit (Type PVC) .....</b>		<b>457</b>
344.14	Dissimilar Metals.....	440	<b>Part I. General .....</b>		<b>457</b>
344.20	Trade Size .....	440	352.1	Scope.....	457
344.22	Number of Conductors .....	441	352.2	Definition.....	457
344.24	Bends.....	441	<b>Part II. Installation.....</b>		<b>458</b>
344.26	Number of Bends (360°) .....	441	352.10	Uses Permitted.....	458
344.28	Reaming.....	441	352.12	Uses Not Permitted.....	459
344.30	Securing and Supporting.....	442	352.20	Trade Size .....	459
344.42	Couplings and Connectors.....	443	352.22	Number of Conductors .....	459
344.46	Bushings.....	444	352.24	Bends.....	460
<b>Article 348—Flexible Metal Conduit (Type FMC) ..</b>		<b>445</b>	352.26	Number of Bends (360°) .....	460
<b>Part I. General .....</b>		<b>445</b>	352.28	Trimming.....	460
348.1	Scope.....	445	352.30	Securing and Supporting.....	460
348.2	Definition.....	445	352.44	Expansion Fittings .....	461
348.6	Listing Requirements .....	445	352.46	Bushings.....	462
<b>Part II. Installation.....</b>		<b>445</b>	352.48	Joints.....	463
348.10	Uses Permitted.....	445	352.60	Equipment Grounding Conductor .....	463
348.12	Uses Not Permitted.....	446	<b>Article 356—Liquidtight Flexible Nonmetallic Conduit (Type LFNC) .....</b>		<b>465</b>
348.20	Trade Size .....	446	<b>Part I. General .....</b>		<b>465</b>
348.22	Number of Conductors .....	446	356.1	Scope.....	465
348.24	Bends.....	447			
348.26	Number of Bends (360°) .....	447			
348.28	Trimming.....	447			

356.2	Definition.....	465	362.30	Securing and Supporting.....	478
356.6	Listing Requirements .....	465	362.46	Bushings .....	479
<b>Part II. Installation.....</b>		466	362.48	Joints.....	479
356.10	Uses Permitted.....	466	362.60	Equipment Grounding Conductor.....	480
356.12	Uses Not Permitted.....	466	<b>Article 376—Metal Wireways.....</b>		481
356.20	Trade Size .....	466	<b>Part I. General.....</b>		481
356.22	Number of Conductors .....	466	376.1	Scope.....	481
356.24	Bends.....	467	376.2	Definition.....	481
356.26	Number of Bends (360°) .....	467	<b>Part II. Installation.....</b>		482
356.30	Securing and Supporting.....	467	376.10	Uses Permitted.....	482
356.42	Fittings.....	468	376.12	Uses Not Permitted.....	482
356.60	Equipment Grounding Conductor.....	468	376.20	Conductors Connected in Parallel.....	482
<b>Article 358—Electrical Metallic Tubing (Type EMT).....</b>		469	376.21	Conductors—Maximum Size .....	482
<b>Part I. General.....</b>		469	376.22	Number of Conductors and Ampacity .....	482
358.1	Scope.....	469	376.23	Wireway Sizing.....	483
358.2	Definition.....	469	376.30	Supports .....	483
358.6	Listing Requirements .....	469	376.56	Splices, Taps, and Power Distribution Blocks.....	483
<b>Part II. Installation.....</b>		469	<b>Part III. Construction Specifications .....</b>		484
358.10	Uses Permitted.....	469	376.100	Construction.....	484
358.12	Uses Not Permitted.....	470	<b>Article 380—Multioutlet Assemblies.....</b>		485
358.20	Trade Size .....	470	<b>Part I. General.....</b>		485
358.22	Number of Conductors .....	470	380.1	Scope.....	485
358.24	Bends.....	471	<b>Part II. Installation.....</b>		485
358.26	Number of Bends (360°) .....	471	380.10	Uses Permitted.....	485
358.28	Reaming and Threading .....	471	380.12	Uses Not Permitted.....	485
358.30	Securing and Supporting.....	472	380.76	Through Partitions.....	486
358.42	Couplings and Connectors.....	472	<b>Article 386—Surface Metal Raceways.....</b>		487
358.60	Grounding .....	473	<b>Part I. General.....</b>		487
<b>Article 362—Electrical Nonmetallic Tubing (Type ENT).....</b>		475	386.1	Scope.....	487
<b>Part I. General.....</b>		475	386.2	Definition.....	487
362.1	Scope.....	475	386.6	Listing Requirements .....	487
362.2	Definition.....	475	<b>Part II. Installation.....</b>		487
<b>Part II. Installation.....</b>		476	386.10	Uses Permitted.....	487
362.10	Uses Permitted.....	476	386.12	Uses Not Permitted.....	488
362.12	Uses Not Permitted.....	477	386.21	Size of Conductors .....	488
362.20	Trade Sizes .....	478	386.22	Number of Conductors .....	488
362.22	Number of Conductors .....	478	386.30	Securing and Supporting.....	488
362.24	Bends.....	478	386.56	Splices and Taps .....	489
362.26	Number of Bends (360°) .....	478	386.60	Equipment Grounding Conductor.....	489
362.28	Trimming.....	478	386.70	Separate Compartments .....	489



<b>Article 392—Cable Trays</b> .....	491	<b>Article 404—Switches</b> .....	515
<b>Part I. General</b> .....	491	<b>Part I. Installation</b> .....	515
392.1 Scope.....	491	404.1 Scope.....	515
392.2 Definition.....	491	404.2 Switch Connections.....	515
<b>Part II. Installation</b> .....	492	404.3 Switch Enclosures.....	518
392.10 Uses Permitted.....	492	404.4 Damp or Wet Locations .....	518
392.12 Uses Not Permitted.....	493	404.6 Position of Knife Switches .....	519
392.18 Cable Tray Installations.....	493	404.7 Indicating .....	519
392.20 Cable and Conductor Installation .....	494	404.8 Accessibility and Grouping .....	519
392.22 Number of Conductors or Cables.....	494	404.9 Switch Faceplates .....	521
392.30 Securing and Supporting.....	494	404.10 Mounting Snap Switches.....	522
392.46 Bushed Raceway.....	494	404.11 Circuit Breakers Used as Switches .....	523
392.56 Cable Splices .....	494	404.12 Grounding of Enclosures.....	523
392.60 Equipment Grounding Conductor .....	495	404.14 Rating and Use of Snap Switches.....	523
<b>Chapter 3 Practice Questions</b> .....	497	<b>Part II. Construction Specifications</b> .....	524
 		404.20 Switch Marking .....	524
<b>CHAPTER 4—EQUIPMENT FOR GENERAL USE</b> .....	503	404.22 Electronic Lighting Switches .....	525
<b>Article 400—Flexible Cords and Flexible Cables</b> .....	505	<b>Article 406—Receptacles, Cord Connectors, and Attachment Plugs (Caps)</b> .....	527
<b>Part I. General</b> .....	505	406.1 Scope.....	527
400.1 Scope.....	505	406.2 Definitions.....	527
400.3 Suitability .....	505	406.3 Receptacle Rating and Type .....	528
400.4 Types of Flexible Cords and Flexible Cables.....	506	406.4 General Installation Requirements.....	528
400.5 Ampacity of Flexible Cords and Flexible Cables .....	506	406.5 Receptacle Mounting.....	532
<b>Table 400.5 Adjustment Factor</b> .....	506	406.6 Receptacle Faceplates.....	534
400.10 Uses Permitted.....	506	406.7 Attachment Plugs, Cord Connectors, and Flanged Surface Devices .....	534
400.12 Uses Not Permitted.....	507	406.9 Receptacles in Damp or Wet Locations.....	535
400.14 Pull at Joints and Terminals.....	509	406.11 Connecting Receptacle Grounding Terminal to Equipment Grounding Conductor .....	537
400.17 Protection from Damage .....	509	406.12 Tamper-Resistant Receptacles .....	537
400.23 Equipment Grounding Conductor Identification.....	509	 	
<b>Article 402—Fixture Wires</b> .....	511	<b>Article 408—Switchboards, Switchgear, and Panelboards</b> .....	539
402.1 Scope.....	511	<b>Part I. General</b> .....	539
402.3 Types .....	511	408.1 Scope.....	539
402.5 Allowable Ampacity of Fixture Wires .....	511	408.3 Arrangement of Busbars and Conductors .....	539
402.6 Minimum Size .....	511	408.4 Field Identification .....	541
402.7 Raceway Size.....	511	408.5 Clearance for Conductors Entering Bus Enclosures .....	542
402.8 Neutral Conductor .....	512	408.7 Unused Openings .....	542
402.10 Uses Permitted.....	512	<b>Part III. Panelboards</b> .....	542
402.12 Uses Not Permitted.....	513	408.36 Protection of Panelboards.....	542
402.14 Overcurrent Protection .....	513	408.37 Panelboards in Damp or Wet Locations .....	543
		408.40 Equipment Grounding Conductor .....	544

408.41 Neutral Conductor Terminations .....	544	<b>Article 411—Low-Voltage Lighting</b> .....	563
<b>Part IV. Construction Specifications</b> .....	545	411.1 Scope .....	563
408.54 Maximum Number of Overcurrent Protection Devices .....	545	411.3 Low-Voltage Lighting Systems .....	563
<b>Article 410—Luminaires, Lampholders, and Lamps</b> .....	547	411.4 Listing Required .....	563
<b>Part I. General</b> .....	547	411.5 Specific Location Requirements .....	564
410.1 Scope .....	547	411.6 Secondary Circuits .....	564
410.2 Definitions .....	548	411.7 Branch Circuit .....	564
410.6 Listing Required .....	548	<b>Article 422—Appliances</b> .....	565
<b>Part II. Luminaire Locations</b> .....	548	<b>Part I. General</b> .....	565
410.10 Luminaires in Specific Locations .....	548	422.1 Scope .....	565
410.11 Luminaires Near Combustible Material .....	550	422.3 Other Articles .....	565
410.16 Luminaires in Clothes Closets .....	550	422.5 Ground-Fault Circuit-Interrupter (GFCI) Protection for Personnel .....	565
410.18 Space for Cove Lighting .....	551	422.6 Listing Required .....	566
<b>Part III. Luminaire Outlet Boxes and Covers</b> .....	552	<b>Part II. Branch-Circuit Requirements</b> .....	566
410.22 Outlet Boxes to be Covered .....	552	422.10 Branch-Circuit Rating .....	566
410.23 Combustible Material at Outlet Boxes to be Covered .....	552	422.11 Overcurrent Protection .....	567
410.24 Connection of Electric-Discharge and LED Luminaires .....	552	422.12 Central Heating Equipment (Furnaces) .....	568
<b>Part IV. Luminaire Supports</b> .....	552	422.13 Storage Water Heaters .....	568
410.30 Supports .....	552	422.15 Central Vacuums .....	568
410.36 Means of Support .....	554	422.16 Flexible Cords .....	568
<b>Part V. Grounding (Bonding)</b> .....	555	422.18 Support of Ceiling Paddle Fans .....	571
410.44 Methods of Grounding .....	555	422.20 Outlet Boxes to be Covered .....	571
<b>Part VI. Wiring of Luminaires</b> .....	556	422.21 Covering of Combustible Material at Outlet Boxes .....	571
410.50 Polarization of Luminaires .....	556	<b>Part III. Disconnecting Means</b> .....	572
410.62 Cord-Connected Luminaires .....	556	422.30 Disconnection—General .....	572
410.64 Luminaires as Raceways .....	557	422.31 Permanently Connected Appliance Disconnects .....	572
410.68 Conductors and Ballasts .....	557	422.33 Disconnection of Cord-and-Plug-Connected or Attachment Fitting-Connected Appliances .....	572
<b>Part VIII. Installation of Lampholders</b> .....	557	<b>Article 424—Fixed Electric Space-Heating Equipment</b> .....	575
410.90 Screw-Shell Lampholders .....	557	<b>Part I. General</b> .....	575
410.96 Lampholders in Wet or Damp Locations .....	557	424.1 Scope .....	575
410.97 Lampholders Near Combustible Material .....	558	424.3 Branch Circuits .....	575
<b>Part X. Recessed Luminaires</b> .....	558	<b>Part II. Installation</b> .....	576
410.116 Recessed Luminaire Clearances .....	558	424.9 Permanently Installed Electric Baseboard Heaters with Receptacles .....	576
410.117 Wiring .....	558	<b>Part III. Electric Space-Heating Equipment</b> .....	576
<b>Part XII. Electric-Discharge Lighting</b> .....	559	424.19 Disconnecting Means .....	576
410.130 General .....	559	<b>Part V. Electric Space-Heating Cables</b> .....	577
<b>Part XIV. Track Lighting</b> .....	560	424.36 Clearances of Wiring in Ceilings .....	577
410.151 Installation .....	560	424.38 Area Restrictions .....	577
410.154 Fastening .....	561		

424.39	Clearance from Other Objects and Openings .....	577	<b>Part IX. Disconnecting Means</b> .....	592		
424.44	Installation of Cables in Concrete or Poured Masonry Floors .....	577	430.102	Disconnect Requirements .....	592	
<b>Part VI. Duct Heaters</b> .....	578	430.103	Operation of Disconnect .....	593		
424.65	Disconnect for Electric Duct Heater Controllers .....	578	430.104	Marking and Mounting .....	594	
<b>Article 430—Motors, Motor Circuits, and Controllers</b> .....	579	430.107	Readily Accessible .....	594		
<b>Part I. General</b> .....	579	430.109	Disconnecting Means Rating .....	594		
430.1	Scope .....	579	430.111	Combination Controller and Disconnect .....	595	
430.2	Definitions .....	580	<b>Part X. Adjustable-Speed Drive Systems</b> .....	595		
430.6	Table FLC versus Motor Nameplate Current Rating .....	580	430.120	General .....	595	
430.8	Marking on Controllers .....	581	430.122	Conductors—Minimum Size and Ampacity .....	595	
430.9	Motor Controller Terminal Requirements .....	581	430.124	Overload Protection .....	595	
430.14	Location of Motors .....	581	430.128	Disconnecting Means .....	595	
430.17	The Highest Rated Motor .....	582	430.130	Branch-Circuit Short-Circuit and Ground-Fault Protection for Single Motor Circuits .....	595	
<b>Part II. Conductor Size</b> .....	582	<b>Part XIV. Tables</b> .....	596	<b>Table 430.248 Full-Load Current, Single-Phase Motors</b> .....	596	
430.22	Single Motor Conductor Size .....	582	<b>Table 430.250 Full-Load Current, Three-Phase Motors</b> .....	596		
430.24	Several Motors—Conductor Size .....	583	<b>Table 430.251 Locked-Rotor Currents</b> .....	596		
430.28	Motor Feeder Taps .....	584	<b>Article 440—Air-Conditioning and Refrigeration Equipment</b> .....	597		
<b>Part III. Overload Protection</b> .....	584	<b>Part I. General</b> .....	597	440.1	Scope .....	597
430.31	Overload .....	584	440.2	Definitions .....	597	
430.32	Overload Sizing for Continuous-Duty Motors .....	585	440.3	Other Articles .....	597	
430.36	Use of Fuses for Overload Protection .....	586	440.4	Marking on Hermetic Refrigerant Motor-Compressors and Equipment .....	598	
430.37	Number of Overload Devices .....	587	440.6	Ampacity and Rating .....	598	
<b>Part IV. Branch-Circuit Short-Circuit and Ground-Fault Protection</b> .....	587	440.9	Grounding and Bonding .....	598		
430.51	General .....	587	440.10	Short-Circuit Current Rating .....	598	
430.52	Branch-Circuit Short-Circuit and Ground-Fault Protection .....	588	<b>Part II. Disconnecting Means</b> .....	599		
430.55	Single Overcurrent Protection Device .....	589	440.13	Cord-Connected Equipment .....	599	
<b>Part V. Feeder Short-Circuit and Ground-Fault Protection</b> .....	589	440.14	Location .....	599		
430.62	Feeder Protection .....	589	<b>Part VII. Room Air Conditioners</b> .....	600		
<b>Part VI. Motor Control Circuits</b> .....	590	440.60	General .....	600		
430.72	Overcurrent Protection for Control Circuits .....	590	440.62	Branch-Circuit Requirements .....	600	
430.73	Overcurrent Protection of Conductors from Physical Damage .....	591	440.63	Disconnecting Means .....	600	
430.75	Disconnect for Control Circuits .....	591	440.64	Supply Cords .....	600	
<b>Part VII. Motor Controllers</b> .....	591	<b>Article 445—Generators</b> .....	601	445.1	Scope .....	601
430.83	Controller Rating .....	591	445.12	Overcurrent Protection .....	601	
430.84	Need Not Open All Conductors of the Circuit .....	592	445.13	Ampacity of Conductors .....	602	
430.87	Controller for Each Motor .....	592	445.18	Disconnecting Means and Shutdown of Prime Mover .....	602	
<b>Part VIII. Motor Control Centers</b> .....	592					
430.99	Available Fault Current .....	592				

**Article 450—Transformers**..... 605

**Part I. General** ..... 605

450.1 Scope..... 605

450.3 Overcurrent Protection ..... 605

450.9 Ventilation ..... 606

450.10 Grounding and Bonding..... 606

450.11 Marking..... 607

450.13 Transformer Accessibility..... 607

450.14 Disconnecting Means..... 608

**Article 480—Storage Batteries**..... 609

480.1 Scope..... 609

480.2 Definitions..... 609

480.3 Listing Requirement ..... 610

480.4 Battery and Cell Terminations..... 610

480.5 Wiring and Equipment Supplied from Batteries ..... 610

480.7 Battery Disconnect..... 611

480.9 Battery Support Systems..... 611

**Chapter 4 Practice Questions** ..... 612

**FINAL EXAM A**..... 619

**FINAL EXAM B**..... 627

**INDEX**..... 635

**ABOUT THE AUTHOR** ..... 645

**ABOUT THE ILLUSTRATOR**..... 646

**ABOUT THE MIKE HOLT TEAM**..... 647