




Mike Holt's

USEFUL & PRACTICAL 2020 NEC[®] INDEX

NEC[®], NFPA 70[®], NFPA 70E[®] and National Electrical Code[®] are registered trademarks of the National Fire Protection Association



Mike Holt Enterprises

MikeHolt.com • 888.NEC.CODE (632.2633)

NOTICE TO THE READER

The publisher does not warrant or guarantee any of the products described herein or perform any independent analysis in connection with any of the product information contained herein. The publisher does not assume, and expressly disclaims, any obligation to obtain and include information other than that provided to it by the manufacturer.

The reader is expressly warned to consider and adopt all safety precautions that might be indicated by the activities herein and to avoid all potential hazards. By following the instructions contained herein, the reader willingly assumes all risks in connection with such instructions.

The publisher makes no representation or warranties of any kind, including but not limited to, the warranties of fitness for particular purpose or merchantability, nor are any such representations implied with respect to the material set forth herein, and the publisher takes no responsibility with respect to such material. The publisher shall not be liable for any special, consequential, or exemplary damages resulting, in whole or part, from the reader's use of, or reliance upon, this material.

Author: Mike Holt

Technical Illustrator: Mike Culbreath

COPYRIGHT © 2020 Charles Michael Holt



Produced and Printed in the USA

All rights reserved. No part of this work covered by the copyright hereon may be reproduced or used in any form or by any means graphic, electronic, or mechanical, including photocopying, recording, taping, or information storage and retrieval systems without the written permission of the publisher. You can request permission to use material from this text by either calling 888.632.2633, e-mailing Info@MikeHolt.com, or visiting www.MikeHolt.com.

For more information, call 888.NEC.CODE (632.2633), or e-mail Info@MikeHolt.com.


NEC®, NFPA 70®, NFPA 70E® and National Electrical Code® are registered trademarks of the National Fire Protection Association.



This logo is a registered trademark of Mike Holt Enterprises, Inc.

ABOUT THE AUTHOR

Mike Holt is an author, businessman, educator, speaker, publisher and *NEC*® expert. He has written hundreds of electrical training books and articles, founded three successful businesses, and has taught thousands of electrical *Code* seminars across the United States and internationally.



Mike's approach to electrical training is based on his own experience as an electrician, contractor, inspector and teacher. He's always felt a responsibility to his students and to the electrical industry to provide education beyond the scope of just passing an exam. This commitment, coupled with the lessons he learned at the University of Miami's MBA program, have helped him build one of the largest electrical training and publishing companies in the United States.

Mike's one-of-a-kind presentation style and his ability to simplify and clarify technical concepts explain his unique position as one of the premier educators and *Code* experts in the country. His passion for the electrical field drives his goal to increase electrical safety and improve lives.

Mike's commitment to pushing boundaries and setting high standards extends into his personal life. He's an eight-time Overall National Barefoot Waterski Champion with more than 20 gold medals, many national records, and he has competed in three World Barefoot Tournaments. In 2015, at the tender age of 64, he started a new adventure—competitive mountain bike racing. Every day he continues to find ways to motivate himself, both mentally and physically.

Mike and his wife, Linda, reside in New Mexico and Florida, and are the parents of seven children and six grandchildren. As his life has changed over the years, a few things have remained constant: his commitment to God, his love for his family, and doing what he can to change the lives of others through his products and seminars.

*I dedicate this book to the
Lord Jesus Christ,
my mentor and teacher.
Proverbs 16:3*



MIKE HOLT'S 2020 *NEC* INDEX


Introduction

This index is a free resource from Mike Holt Enterprises. It was designed to help you find what you're looking for in the *Code* book in seconds! This index lists difficult key words and gives you the section where these words appear in the *National Electrical Code*®. It's a great tool to get you familiar with those hard to find references in the *NEC*®. Use this index along with your *Code* book and tabs (below) and you'll be in great shape!

2020 *Code* Book

Need to order a *Code* book? The most widely adopted element of a building code in the United States and the world, the *NEC*, is the benchmark for safe and efficient electrical installations. Whether your jurisdiction adopts the 2020 *Code* immediately or down the road, you need to extend your knowledge and take advantage of the benefits right away, not months or years behind your peers in the electrical industry.

Call our office at 888.632.2633 or visit www.MikeHolt.com/Code to order your copy.




2020 Tabs

Peel-and-stick Tabs are a great way to customize your *Code* book, but too many tabs defeat the purpose. Mike Holt's adhesive tabs allow you to mark and reference important articles and tables quickly, making it easier for you to use the *NEC*. They are compatible with the 2020 *Code Book and Handbook*, and can even be used on *Mike's Holt's Understanding the National Electrical Code Volumes 1 and 2* which have color-coded chapters to match the colors of the tabs.

Included in the set are 96 tabs, including 7 blanks, a 16 in. x 20 in. Raceway and Wire Sizing Poster, and 2 Ohms Wheel Stickers.

Order at www.MikeHolt.com/Code or call 888.632.2633.



For more on this and other products, visit www.mikeholt.com/Code.



HOW TO USE THE *NATIONAL ELECTRICAL CODE*

The original *NEC* document was developed in 1897 as a result of the united efforts of various insurance, electrical, architectural, and other cooperative interests. The National Fire Protection Association (NFPA) has sponsored the *National Electrical Code* since 1911.

The purpose of the *Code* is the practical safeguarding of persons and property from hazards arising from the use of electricity. It isn't intended as a design specification or an instruction manual for untrained persons. It is, in fact, a standard that contains the minimum requirements for an electrical installation that's essentially free from hazard. Learning to understand and use the *Code* is critical to you working safely; whether you're training to become an electrician, or are already an electrician, electrical contractor, inspector, engineer, designer, or instructor.

The *NEC* was written for qualified persons; those who understand electrical terms, theory, safety procedures, and electrical trade practices. Learning to use the *Code* is a lengthy process and can be frustrating if you don't approach it the right way. First, you'll need to understand electrical theory and if you don't have theory as a background when you get into the *NEC*, you're going to struggle. Take one step back if necessary and learn electrical theory. You must also understand the concepts and terms in the *Code* and know grammar and punctuation in order to understand the complex structure of the rules and their intended purpose(s). The *NEC* is written in a formal outline which many of us haven't seen or used since high school or college so it's important for you to pay particular attention to this format. Our goal for the next few pages is to give you some guidelines and suggestions on using your *Code* book to help you understand that standard, and assist you in what you're trying to accomplish and, ultimately, your personal success as an electrical professional!

Language Considerations for the *NEC*

Terms and Concepts

The *NEC* contains many technical terms, and it's crucial for *Code* users to understand their meanings and applications. If you don't understand a term used in a rule, it will be impossible to properly apply the *NEC* requirement. Article 100 defines those that are used generally in two or more articles throughout the *Code*; for example, the term "Dwelling Unit" is found in many articles. If you don't know the *NEC* definition for a "dwelling unit" you can't properly identify its *Code* requirements. Another example worth mentioning is the term "Outlet." For many people it has always meant a receptacle—not so in the *NEC*!

Many *Code* articles use terms unique to that specific article, and the definitions of those terms only apply to that given article. Definitions for them are usually found in the beginning of the article. For example, Section 250.2 contains the definitions of terms that only apply to Article 250—Grounding and Bonding. Whether definitions are unique

to a specific article, or apply throughout the *NEC*, is indicated at the beginning of the definitions (xxx.2) section of the article. For example, Article 690 contains definitions (in 690.2) that apply ONLY to that article while Article 705 introduces definitions (in 705.2) that apply throughout the entire *Code*.

Small Words, Grammar, and Punctuation

Technical words aren't the only ones that require close attention. Even simple words can make a big difference to the application of a rule. Is there a comma? Does it use "or," "and," "other than," "greater than," or "smaller than"? The word "or" can imply alternate choices for wiring methods. A word like "or" gives us choices while the word "and" can mean an additional requirement must be met.

An example of the important role small words play in the *NEC* is found in 110.26(C)(2), where it says equipment containing overcurrent, switching, "or" control devices that are 1,200A or more "and" over 6 ft wide require a means of egress at each end of the working space.

In this section, the word “or” clarifies that equipment containing any of the three types of devices listed must follow this rule. The word “and” clarifies that 110.26(C)(2) only applies if the equipment is both 1,200A or more and over 6 ft wide.

Grammar and punctuation play an important role in establishing the meaning of a rule. The location of a comma can dramatically change the requirement of a rule such as in 250.28(A), where it says a main bonding jumper shall be a wire, bus, screw, or similar suitable conductor. If the comma between “bus” and “screw” was removed, only a “bus screw” could be used. That comma makes a big change in the requirements of the rule.

Slang Terms or Technical Jargon

Trade-related professionals in different areas of the country often use local “slang” terms that aren’t shared by all. This can make it difficult to communicate if it isn’t clear what the meaning of those slang terms are. Use the proper terms by finding out what their definitions and applications are before you use them. For example, the term “pigtail” is often used to describe the short piece of conductor used to connect a device to a splice, but a “pigtail” is also used for a rubberized light socket with pre-terminated conductors. Although the term is the same, the meaning is very different and could cause confusion. The words “splice” and “tap” are examples of terms often interchanged in the field but are two entirely different things! The uniformity and consistency of the terminology used in the *Code*, makes it so everyone says and means the same thing regardless of geographical location.

NEC Style and Layout

It’s important to understand the structure and writing style of the *Code* if you want to use it effectively. The *National Electrical Code* is organized using twelve major components.

1. Table of Contents
2. Chapters—Chapters 1 through 9 (major categories)
3. Articles—Chapter subdivisions that cover specific subjects
4. Parts—Divisions used to organize article subject matter
5. Sections—Divisions used to further organize article subject matter
6. Tables and Figures—Represent the mandatory requirements of a rule
7. Exceptions—Alternatives to the main *Code* rule
8. Informational Notes—Explanatory material for a specific rule (not a requirement)
9. Tables—Applicable as referenced in the *NEC*

10. Annexes—Additional explanatory information such as tables and references (not a requirement)
11. Index
12. Changes to the *Code* from the previous edition

1. Table of Contents. The Table of Contents displays the layout of the chapters, articles, and parts as well as the page numbers. It’s an excellent resource and should be referred to periodically to observe the interrelationship of the various *NEC* components. When attempting to locate the rules for a specific situation, knowledgeable *Code* users often go first to the Table of Contents to quickly find the specific *NEC* rule that applies.

2. Chapters. There are nine chapters, each of which is divided into articles. The articles fall into one of four groupings: General Requirements (Chapters 1 through 4), Specific Requirements (Chapters 5 through 7), Communications Systems (Chapter 8), and Tables (Chapter 9).

- Chapter 1—General
- Chapter 2—Wiring and Protection
- Chapter 3—Wiring Methods and Materials
- Chapter 4—Equipment for General Use
- Chapter 5—Special Occupancies
- Chapter 6—Special Equipment
- Chapter 7—Special Conditions
- Chapter 8—Communications Systems (Telephone, Data, Satellite, Cable TV, and Broadband)
- Chapter 9—Tables—Conductor and Raceway Specifications

3. Articles. The *NEC* contains approximately 140 articles, each of which covers a specific subject. It begins with Article 90, the introduction to the *Code* which contains the purpose of the *NEC*, what is covered and isn’t covered, along with how the *Code* is arranged. It also gives information on enforcement, how mandatory and permissive rules are written, and how explanatory material is included. Article 90 also includes information on formal interpretations, examination of equipment for safety, wiring planning, and information about formatting units of measurement. Here are some other examples of articles you’ll find in the *NEC*:

- Article 110—Requirements for Electrical Installations
- Article 250—Grounding and Bonding
- Article 300—General Requirements for Wiring Methods and Materials
- Article 430—Motors, Motor Circuits, and Motor Controllers
- Article 500—Hazardous (Classified) Locations
- Article 680—Swimming Pools, Fountains, and Similar Installations
- Article 725—Remote-Control, Signaling, and Power-Limited Circuits
- Article 800—General Requirements for Communications Systems

4. Parts. Larger articles are subdivided into parts. Because the parts of a *Code* article aren't included in the section numbers, we tend to forget to what "part" an *NEC* rule is relating. For example, Table 110.34(A) contains working space clearances for electrical equipment. If we aren't careful, we might think this table applies to all electrical installations, but Table 110.34(A) is in Part III, which only contains requirements for "Over 1,000 Volts, Nominal" installations. The rules for working clearances for electrical equipment for systems 1,000V, nominal, or less are contained in Table 110.26(A)(1), which is in Part II—1,000 Volts, Nominal, or Less.

5. Sections. Each *NEC* rule is called a "*Code* Section." A *Code* section may be broken down into subdivisions; first level subdivision will be in parentheses like (A), (B),..., the next will be second level subdivisions in parentheses like (1), (2),..., and third level subdivisions in lowercase letters such as (a), (b), and so on.

For example, the rule requiring all receptacles in a dwelling unit bathroom to be GFCI protected is contained in Section 210.8(A)(1) which is in Chapter 2, Article 210, Section 8, first level subdivision (A), and second level subdivision (1).

Note: According to the *NEC Style Manual*, first and second level subdivisions are required to have titles. A title for a third level subdivision is permitted but not required.

Many in the industry incorrectly use the term "Article" when referring to a *Code* section. For example, they say "Article 210.8," when they should say "Section 210.8." Section numbers in this textbook are shown without the word "Section," unless they're at the beginning of a sentence. For example, Section 210.8(A) is shown as simply 210.8(A).

6. Tables and Figures. Many *NEC* requirements are contained within tables, which are lists of *Code* rules placed in a systematic arrangement. The titles of the tables are extremely important; you must read them carefully in order to understand the contents, applications, and limitations of each one. Notes are often provided in or below a table; be sure to read them as well since they're also part of the requirement. For example, Note 1 for Table 300.5 explains how to measure the cover when burying cables and raceways and Note 5 explains what to do if solid rock is encountered.

7. Exceptions. Exceptions are *NEC* requirements or permissions that provide an alternative method to a specific rule. There are two types of exceptions—mandatory and permissive. When a rule has several exceptions, those exceptions with mandatory requirements are listed before the permissive exceptions.

Mandatory Exceptions. A mandatory exception uses the words "shall" or "shall not." The word "shall" in an exception means that if you're using the exception, you're required to do it in a specific way. The phrase "shall not" means it isn't permitted.

Permissive Exceptions. A permissive exception uses words such as "shall be permitted," which means it's acceptable (but not mandatory) to do it in this way.

8. Informational Notes. An Informational Note contains explanatory material intended to clarify a rule or give assistance, but it isn't a *Code* requirement.

9. Tables. Chapter 9 consists of tables applicable as referenced in the *NEC*. They're used to calculate raceway sizing, conductor fill, the radius of raceway bends, and conductor voltage drop.

10. Informative Annexes. Annexes aren't a part of the *Code* requirements and are included for informational purposes only.

- Annex A. Product Safety Standards
- Annex B. Application Information for Ampacity Calculation
- Annex C. Raceway Fill Tables for Conductors and Fixture Wires of the Same Size
- Annex D. Examples
- Annex E. Types of Construction
- Annex F. Critical Operations Power Systems (COPS)
- Annex G. Supervisory Control and Data Acquisition (SCADA)
- Annex H. Administration and Enforcement
- Annex I. Recommended Tightening Torques
- Annex J. ADA Standards for Accessible Design

11. Index. The Index at the back of the *NEC* is helpful in locating a specific rule using pertinent keywords to assist in your search.

12. Changes to the *Code*. Changes in the *NEC* are indicated as follows:

- ▶ Rules that were changed since the previous edition are identified by shading the revised text.
- ▶ New rules aren't shaded like a change, instead they have a shaded "N" in the margin to the left of the section number.
- ▶ Relocated rules are treated like new rules with a shaded "N" in the left margin by the section number.
- ▶ Deleted rules are indicated by a bullet symbol "•" located in the left margin where the rule was in the previous edition. Unlike older editions the bullet symbol is only used where one or more complete paragraphs have been deleted. There's no indication used where a word, group of words, or a sentence was deleted.
- ▶ A Δ represents text deletions and figure/table revisions.

How to Locate a Specific Requirement

How to go about finding what you're looking for in the *Code* book depends, to some degree, on your experience with the *NEC*. Experts typically know the requirements so well that they just go to the correct rule. Very experienced people might only need the Table of Contents to locate the requirement for which they're looking. On the other hand, average users should use all the tools at their disposal, including the Table of Contents, the Index, and the search feature on electronic versions of the *Code* book.

Let's work through a simple example: What *NEC* rule specifies the maximum number of disconnects permitted for a service?

Using the Table of Contents. If you're an experienced *Code* user, you might use the Table of Contents. You'll know Article 230 applies to "Services," and because this article is so large, it's divided up into multiple parts (eight parts to be exact). With this knowledge, you can quickly go to the Table of Contents and see it lists the Service Equipment Disconnecting Means requirements in Part VI.

Author's Comment:

- ▶ The number "70" precedes all page numbers in this standard because the *NEC* is NFPA Standard Number 70.

Using the Index. If you use the Index (which lists subjects in alphabetical order) to look up the term "service disconnect," you'll see there's no listing. If you try "disconnecting means," then "services," you'll find that the Index indicates the rule is in Article 230, Part VI. Because the *NEC* doesn't give a page number in the Index, you'll need to use the Table of Contents to find it, or flip through the *Code* book to Article 230, then continue to flip through pages until you find Part VI.

Many people complain that the *NEC* only confuses them by taking them in circles. Once you gain experience in using the *Code* and deepen your understanding of words, terms, principles, and practices, you'll find it much easier to understand and use than you originally thought.

With enough exposure in the use of the *NEC*, you'll discover that some words and terms are often specific to certain articles. The word "solar" for example will immediately send experienced *Code* book users to Article 690—Solar Photovoltaic (PV) Systems. The word "marina" suggests what you seek might be in Article 555. There are times when a main article will send you to a specific requirement in another one in which compliance is required in which case it will say (for example), "in accordance with 230.xx." Don't think of these situations as a "circle," but rather a map directing you to exactly where you need to be.

Customizing Your *Code* Book

One way to increase your comfort level with your *Code* book is to customize it to meet your needs. You can do this by highlighting and underlining important *NEC* requirements. Preprinted adhesive tabs are also an excellent aid to quickly find important articles and sections that are regularly referenced. However, understand that if you're using your *Code* book to prepare to take an exam, some exam centers don't allow markings of any type. For more information about tabs for your *Code* book, visit www.MikeHolt.com/tabs.

Highlighting. As you read through or find answers to your questions, be sure you highlight those requirements in the *NEC* that are the most important or relevant to you. Use one color, like yellow, for general interest and a different one for important requirements you want to find quickly. Be sure to highlight terms in the Index and the Table of Contents as you use them.

Underlining. Underline or circle key words and phrases in the *Code* with a red or blue pen (not a lead pencil) using a short ruler or other straightedge to keep lines straight and neat. This is a very handy way to make important requirements stand out. A short ruler or other straightedge also comes in handy for locating the correct information in a table.

Interpretations

Industry professionals often enjoy the challenge of discussing, and at times debating, the *Code* requirements. These types of discussions are important to the process of better understanding the *NEC* requirements and applications. However, if you decide you're going to participate in one of these discussions, don't spout out what you think without having the actual *Code* book in your hand. The professional way of discussing a requirement is by referring to a specific section rather than talking in vague generalities. This will help everyone involved clearly understand the point and become better educated. In fact, you may become so well educated about the *NEC* that you might even decide to participate in the change process and help to make it even better!

Become Involved in the *NEC* Process

The actual process of changing the *Code* takes about two years and involves hundreds of individuals trying to make the *NEC* as current and accurate as possible. As you advance in your studies and understanding of the *Code*, you might begin to find it very interesting, enjoy

it more, and realize that you can also be a part of the process. Rather than sitting back and allowing others to take the lead, you can participate by making proposals and being a part of its development. For the 2020 cycle, there were 3,730 Public Inputs and 1,930 comments. Hundreds of updates and five new articles were added to keep the *NEC* up to date with new technologies and pave the way to a safer and more efficient electrical future.

Here's how the process works:

STEP 1—Public Input Stage

Public Input. The revision cycle begins with the acceptance of Public Input (PI) which is the public notice asking for anyone interested to submit input on an existing standard or a committee-approved new draft standard. Following the closing date, the committee conducts a First Draft Meeting to respond to all Public Inputs.

First Draft Meeting. At the First Draft (FD) Meeting, the Technical Committee considers and provides a response to all Public Input. The Technical Committee may use the input to develop First Revisions to the standard. The First Draft documents consist of the initial meeting consensus of the committee by simple majority. However, the final position of the Technical Committee must be established by a ballot which follows.

Committee Ballot on First Draft. The First Draft developed at the First Draft Meeting is balloted. In order to appear in the First Draft, a revision must be approved by at least two-thirds of the Technical Committee.

First Draft Report Posted. First revisions which pass ballot are ultimately compiled and published as the First Draft Report on the document's NFPA web page. This report serves as documentation for the Input Stage and is published for review and comment. The public may review the First Draft Report to determine whether to submit Public Comments on the First Draft.

STEP 2—Public Comment Stage

Public Comment. Once the First Draft Report becomes available, there's a Public Comment period during which anyone can submit a Public Comment on the First Draft. After the Public Comment closing date, the Technical Committee conducts/holds their Second Draft Meeting.

Second Draft Meeting. After the Public Comment closing date, if Public Comments are received or the committee has additional proposed revisions, a Second Draft Meeting is held. At the Second Draft Meeting, the Technical Committee reviews the First Draft

and may make additional revisions to the draft Standard. All Public Comments are considered, and the Technical Committee provides an action and response to each Public Comment. These actions result in the Second Draft.

Committee Ballot on Second Draft. The Second Revisions developed at the Second Draft Meeting are balloted. To appear in the Second Draft, a revision must be approved by at least two-thirds of the Technical Committee.

Second Draft Report Posted. Second Revisions which pass ballot are ultimately compiled and published as the Second Draft Report on the document's NFPA website. This report serves as documentation of the Comment Stage and is published for public review.

Once published, the public can review the Second Draft Report to decide whether to submit a Notice of Intent to Make a Motion (NITMAM) for further consideration.

STEP 3—NFPA Technical Meeting (Tech Session)

Following completion of the Public Input and Public Comment stages, there's further opportunity for debate and discussion of issues through the NFPA Technical Meeting that takes place at the NFPA Conference & Expo®. These motions are attempts to change the resulting final Standard from the committee's recommendations published as the Second Draft.

STEP 4—Council Appeals and Issuance of Standard

Issuance of Standards. When the Standards Council convenes to issue an NFPA standard, it also hears any related appeals. Appeals are an important part of assuring that all NFPA rules have been followed and that due process and fairness have continued throughout the standards development process. The Standards Council considers appeals based on the written record and by conducting live hearings during which all interested parties can participate. Appeals are decided on the entire record of the process, as well as all submissions and statements presented.

After deciding all appeals related to a standard, the Standards Council, if appropriate, proceeds to issue the Standard as an official NFPA Standard. The decision of the Standards Council is final subject only to limited review by the NFPA Board of Directors. The new NFPA standard becomes effective twenty days following the Standards Council's action of issuance.

Tentative Interim Amendment (TIA)

Sometimes, a change to the *NEC* is of an emergency nature. Perhaps an editing mistake was made that can affect an electrical installation to the extent it may create a hazard. Maybe an occurrence in the field created a condition that needs to be addressed immediately and can't wait for the normal *Code* cycle and next edition of the standard. When these circumstances warrant it, a TIA or "Tentative Interim Amendment" can be submitted for consideration.

The NFPA defines a TIA as, "tentative because it has not been processed through the entire standards-making procedures. It is interim because it is effective only between editions of the standard. A TIA automatically becomes a Public Input of the proponent for the next edition of the standard; as such, it then is subject to all of the procedures of the standards-making process."

Author's Comment:

- ▶ Proposals, comments, and TIAs can be submitted for consideration online at the NFPA website, www.nfpa.org. From the homepage, look for "Codes & Standards," then find "Standards Development," and click on "How the Process Works." If you'd like to see something changed in the *Code*, you're encouraged to participate in the process.

INDEX

Description Rule

A

Agricultural Buildings

Definitions	547.2
Equipotential Planes	547.10
Luminaires	547.8
Scope	547.1
Wiring Methods	547.5

Air-Conditioning and Refrigeration Equipment

Conductor Sizing	440.33
Disconnect Location	440.14
Grounding and Bonding	440.9
Marking on Hermetic Refrigerant Motor-Compressors and Equipment	440.4
Short-Circuit and Ground-Fault Overcurrent Device Size	440.22

Amateur and Citizen Band Transmitting and Receiving Stations—Antenna Systems

Antenna Discharge Units—Transmitting Stations	810.57
Bonding Conductors and Grounding Electrode	810.58
Other Sections	810.51

Appliances

Branch Circuits	422.10
Central Heating Equipment	422.12
Central Vacuums	422.15
Disconnection of Cord-and-Plug-Connected Appliances	422.33
Disconnection—General	422.30
Flexible Cords	422.16
GFCI Protection	422.5
Listing Required	422.6
Other Articles	422.3
Outlet Boxes to be Covered	422.20
Overcurrent Protection	422.11
Permanently Connected Appliance Disconnects	422.31
Space for Conductors	422.19
Storage Water Heaters	422.13
Support of Ceiling-Suspended (Paddle) Fans	422.18

Arc Welders

Ampacity of Supply Conductors	630.11
-------------------------------	--------

Description Rule

Disconnecting Means	630.13
Overcurrent Protection	630.12

Armored Cable (Type AC)

Bending Radius	320.24
Boxes and Fittings	320.40
Conductor Ampacity	320.80
Construction	320.100
Definition	320.2
Equipment Grounding Conductor	320.108
Exposed Work	320.15
In Accessible Attics or Roof Spaces	320.23
Listing Requirements	320.6
Securing and Supporting	320.30
Through or Parallel to Framing Members	320.17
Uses Not Permitted	320.12
Uses Permitted	320.10

Assembly Occupancies

General Classifications	518.2
Illumination	518.6
Other Articles	518.3
Scope	518.1
Wiring Methods	518.4

Audio Signal Amplification and Reproduction Equipment

Audio Systems Near Bodies of Water	640.10
Conduit or Tubing	640.23
Definitions	640.2
Locations and Other Articles	640.3
Mechanical Execution of Work	640.6
Protection of Electrical Equipment	640.4
Scope	640.1
Use of Flexible Cords and Flexible Cables	640.21
Wiring Methods	640.9

B

Branch Circuits

Arc-Fault Circuit-Interrupter Protection	210.12
Branch Circuit Conductor Sizing	210.19
Branch Circuit Overcurrent Protection	210.20

Description	Rule	Description	Rule
Branch Circuits Required	210.11	Class I Hazardous (Classified) Locations	
Branch-Circuit Rating	210.18	Enclosures Containing Make-and-Break Contact Devices	501.115
Dwelling Unit Receptacle Outlet Requirements	210.52	Flexible Cords, Class I, Divisions 1 and 2	501.140
Equipment Requiring Servicing Receptacle Outlet	210.63	Grounding and Bonding	501.30
GFCI Protection	210.8	Limited-Energy and Communications Systems	501.150
Identification for Branch Circuits	210.5	Luminaires	501.130
Lighting Outlet Requirements	210.70	Motors and Generators	501.125
Meeting Rooms	210.65	Raceway and Cable Seals	501.15
Multiple Branch Circuits	210.7	Receptacles and Attachment Plugs	501.145
Multiwire Branch Circuits	210.4	Scope	501.1
Permissible Loads, Multiple-Outlet Branch Circuits	210.23	Utilization Equipment	501.135
Receptacle Outlets	210.50	Wiring Methods	501.10
Receptacle Rating	210.21		
Receptacles in Guest Rooms, Guest Suites, and Dormitory Units	210.60	Class II Hazardous (Classified) Locations	
		Enclosures Containing Make-and-Break Contacts	502.115
C		Explosionproof Equipment	502.5
Cabinets		Flexible Cords	502.140
Damp or Wet Locations	312.2	Grounding and Bonding	502.30
Deflection of Conductors	312.6	Limited-Energy and Communications Systems	502.150
Enclosures	312.5	Luminaires	502.130
Material	312.10	Motors and Generators	502.125
Overcurrent Device Enclosures	312.8	Receptacles and Attachment Plugs	502.145
Position in Walls	312.3	Scope	502.1
Repairing Gaps in Noncombustible Surfaces	312.4	Sealing	502.15
		Wiring Methods	502.10
Cable Trays		Class III Hazardous (Classified) Locations	
Bushed Conduit and Tubing	392.46	Enclosures Containing Make-and-Break Contacts	503.115
Cable and Conductor Installation	392.20	Flexible Cords	503.140
Cable Splices	392.56	Grounding and Bonding	503.30
Cable Tray Installations	392.18	Limited-Energy and Communications Systems	503.150
Definition	392.2	Luminaires	503.130
Equipment Grounding Conductor	392.60	Motors and Generators	503.125
Expansion Splice Plates	392.44	Receptacles and Attachment plugs	503.145
Securing and Supporting	392.30	Scope	503.1
Uses Not Permitted	392.12	Wiring Methods	503.10
Uses Permitted	392.10		
Carnivals, Circuses, Fairs, and Similar Events		Commercial Garages, Repair and Storage	
Definitions	525.2	Classification of Hazardous Areas	511.3
Equipment Grounding	525.31	GFCI-Protected Receptacles	511.12
GFCI-Protected Receptacles and Equipment	525.23	Scope	511.1
Outdoor Portable Distribution or Termination Boxes	525.22	Seals	511.9
Overhead Conductor Clearances	525.5	Special Equipment	511.10
Portable Equipment Grounding Conductor Continuity	525.32	Underground Wiring Below Class I Locations	511.8
Protection of Electrical Equipment	525.6	Wiring and Equipment Above Hazardous (Classified) Locations	511.7
Rides, Tents, and Concessions	525.21		
Scope	525.1	Community Antenna Television (CATV) and Radio Distribution Systems (Coaxial Cable)	
Wiring Methods	525.20	Bonding and Grounding Methods	820.100
		Grounding of the Outer Conductive Shield of Coaxial Cables	820.93
		Installation of Coaxial Cables and Equipment	820.133

Description	Rule	Description	Rule
Conductors for General Wiring			
Ampacities for Conductors Rated 0V to 2,000V	310.14	Equipment Grounding Conductor	358.60
Ampacities of Insulated Conductors in Raceways, Cables, or Buried	310.16	Listing Requirements	358.6
Ampacity Tables	310.15	Number of Bends (360°)	358.26
Conductor Construction and Application	310.4	Number of Conductors	358.22
Conductor Identification	310.6	Reaming	358.28
Conductors	310.3	Securing and Supporting	358.30
Single-Phase Dwelling Services and Feeders	310.12	Trade Size	358.20
Uses Permitted	310.10	Uses Not Permitted	358.12
		Uses Permitted	358.10
D		Electrical Nonmetallic Tubing (Type ENT)	
Definitions		Bends	362.24
Definitions	100	Bushings	362.46
		Definition	362.2
		Equipment Grounding Conductor	362.60
		Joints	362.48
		Listing	362.6
		Number of Bends (360°)	362.26
		Number of Conductors	362.22
		Securing and Supporting	362.30
		Trade Sizes	362.20
		Trimming	362.28
		Uses Not Permitted	362.12
		Uses Permitted	362.10
		Elevators, Escalators, and Moving Walks	
		Branch Circuit for Hoistway Pit Lighting and Receptacles	620.24
		Branch Circuits for Elevator Car(s)	620.22
		Branch Circuits for Machine Room/Machinery Space	620.23
		Disconnecting Means	620.51
		Feeder and Branch-Circuit Conductors	620.13
		GFCI-Protected Receptacles	620.6
		Scope	620.1
		Short-Circuit Current Rating	620.16
		Wiring in Elevator Hoistways, Control, and Machine Rooms/Spaces	620.37
		Emergency Systems	
		Capacity and Rating	700.4
		Definitions	700.2
		Emergency Illumination	700.16
		General Requirements	700.12
		Loads on Emergency Branch Circuits	700.15
		Multiwire Branch Circuits	700.19
		Scope	700.1
		Selective Coordination	700.32
		Signs	700.7
		Surge Protection	700.8
		Tests and Maintenance	700.3
		Transfer Equipment	700.5
		Wiring	700.10
E			
Electric Signs and Outline Lighting			
Ballasts, Transformers, Class 2 Power Sources, Electronic Power Supplies	600.21		
Branch Circuits	600.5		
Class 2 Power Sources	600.24		
Definitions	600.2		
Disconnecting Means	600.6		
Grounding and Bonding	600.7		
Listing	600.3		
Location	600.9		
Markings	600.4		
Photovoltaic (PV) Powered Sign	600.34		
Retrofit Kits	600.35		
Scope	600.1		
Electric Vehicle Power Transfer System			
Alternating-Current Electric Vehicle Power Export (EVPE) Receptacles	625.60		
Definitions	625.2		
Disconnecting Means	625.43		
Electric Vehicle Branch Circuit	625.40		
Ground-Fault Circuit-Interrupter Protection for Personnel	625.54		
Interactive Systems	625.48		
Listed	625.5		
Location	625.50		
Overcurrent Protection	625.41		
Rating	625.42		
Scope	625.1		
Ventilation	625.52		
Electrical Metallic Tubing (Type EMT)			
Bends	358.24		
Couplings and Connectors	358.42		
Definition	358.2		

Description	Rule	Description	Rule
Energy Storage Systems		Fire Pumps	
Charge Control	706.33	Continuity of Power	695.4
Circuit Sizing and Current	706.30	Control Wiring	695.14
Definitions	706.2	Electric Power Source(s)	695.3
Directory (Identification of Power Sources)	706.21	Listed Equipment	695.10
Disconnect	706.15	Power Wiring	695.6
General	706.20	Scope	695.1
Listing	706.5	Surge Protection	695.15
Maximum Voltage	706.9	Transformers	695.5
Multiple Systems	706.6	Voltage Drop	695.7
Overcurrent Protection	706.31		
Qualified Personnel	706.3	Fixed Electric Space-Heating Equipment	
Scope	706.1	Branch Circuits	424.4
Storage Batteries	706.8	Disconnecting Means	424.19
System Requirements	706.4	Electric Heating Cables in Concrete or Masonry Floors	424.44
		Location of Disconnecting Means for Electric Duct Heater	
		Controllers	424.65
		Other Articles	424.3
		Fixture Wires	
		Ampacity of Fixture Wires	402.5
		Minimum Size	402.6
		Neutral Conductor	402.8
		Other Articles	402.2
		Raceway Size	402.7
		Types	402.3
		Uses Not Permitted	402.12
		Uses Permitted	402.10
F			
Feeders			
Feeder Conductor Identification	215.12		
Feeder Conductor Sizing	215.2		
Feeder Ground-Fault Protection of Equipment	215.10		
Feeder Overcurrent Protection Sizing	215.3		
Fire Alarm Systems			
Abandoned Cables	760.25		
Access to Electrical Equipment Behind Panels Designed to Allow Access	760.21		
Applications of Power-Limited Fire Alarm Cables (PLFA)	760.154		
Definitions	760.2		
Fire Alarm Circuit Identification	760.30		
Fire Alarm Circuit Requirements	760.35		
Installation of PLFA Cables in Buildings	760.135		
Listing and Marking of Power-Limited Fire Alarm Cables (PLFA)	760.179		
Marking	760.124		
Mechanical Execution of Work	760.24		
Other Articles	760.3		
Power Sources for Power-Limited Fire Alarm Circuits	760.121		
Scope	760.1		
Separation from Power Conductors	760.136		
Support of PLFA Cables	760.143		
Wiring Methods on Load Side of the PL Fire Alarm Power Source	760.130		
Wiring Methods on Supply Side of the Power-Limited Fire Alarm Source	760.127		

Learn the 2020 Code®

**Save 20%
on all Mike Holt Code Products**



use discount code NDX20

www.MikeHolt.com/code

Description	Rule	Description	Rule
Flexible Cords and Flexible Cables			
Ampacity of Flexible Cords and Flexible Cables	400.5	Number and Size of Conductors in a Raceway	300.17
Protection from Damage	400.17	Panels Designed to Allow Access	300.23
Pull at Joints and Terminals	400.14	Protection Against Corrosion and Deterioration	300.6
Suitability	400.3	Protection Against Physical Damage	300.4
Types of Flexible Cords and Flexible Cables	400.4	Raceways Exposed to Different Temperatures	300.7
Uses Not Permitted	400.12	Raceways in Wet Locations Above Grade	300.9
Uses Permitted	400.10	Securing and Supporting	300.11
Flexible Metal Conduit (Type FMC)		Spaces About Electrical Equipment	110.26
Bends	348.24	Spread of Fire or Products of Combustion	300.21
Definition	348.2	Suitable Wiring Methods	110.8
Equipment Grounding and Bonding Conductors	348.60	Supporting Conductors in Vertical Raceways	300.19
Listing Requirements	348.6	Underground Installations	300.5
Number of Bends (360°)	348.26	Use and Product Listing (Certification) of Equipment	110.3
Number of Conductors	348.22	Voltage Rating of Electrical Equipment	110.4
Securing and Supporting	348.30	Wiring in Ducts and Plenum Spaces	300.22
Trade Size	348.20	Wiring Integrity	110.7
Trimming	348.28	General Requirements for Communications Circuits	
Uses Not Permitted	348.12	Bonding or Interruption	805.93
Uses Permitted	348.10	Communications Cable(s) Substitutions	805.154
General Requirements		Definitions	805.2
Approval of Conductors and Equipment	110.2	Dwelling Unit Communications Outlet	805.156
Arc Flash Hazard Warning	110.16	Installation of Communications Wires, Cables, and Equipment	805.133
Available Fault Current	110.24	Installation of Equipment	805.18
Boxes or Fittings	300.15	Primary Protection	805.90
Conductor Material	110.5	Scope	805.1
Conductor Sizes	110.6	General Requirements for Communications Systems	
Conductor Termination and Splicing	110.14	Abandoned Cable	800.25
Conductors	300.3	Access to Electrical Equipment Behind Panels Designed to Allow Access	800.21
Deteriorating Agents	110.11	Applications of Listed Communications Wires, Cables, and Raceways	800.154
Electrical Continuity	300.10	Cable and Primary Protector Bonding	800.100
Enclosure Types	110.28	Definitions	800.2
Equipment Short-Circuit Current Rating	110.10	Installation of Communications Wires, Cables, and Raceways	800.113
Exit Enclosures (Stair Towers)	300.25	Mechanical Execution of Work	800.24
High-Leg Conductor Identification	110.15	Metal Entrance Conduit Bonding	800.49
Identification of Disconnecting Means	110.22	Other Articles	800.3
Induced Alternating Currents in Ferrous Metal Parts	300.20	Plenum, Riser, General-Purpose, and Limited Use Cables	800.179
Inserting Conductors in Raceways	300.18	Raceways and Cable Routing Assemblies	800.110
Interrupting Rating (Overcurrent Protective Devices)	110.9	Scope	800.1
Length of Free Conductors	300.14	Separation from Lightning Conductors	800.53
Lockable Disconnecting Means	110.25	Spread of Fire or Products of Combustion	800.26
Markings	110.21	Generators	
Mechanical and Electrical Continuity of Conductors Splices and Pigtails	300.13	Ampacity of Conductors	445.13
Mechanical Continuity	300.12	Disconnecting Means and Emergency Shutdown	445.18
Mechanical Execution of Work	110.12	Listing	445.6
Mounting and Cooling of Equipment	110.13	Marking	445.11

www.MikeHolt.com • 888.NEC.CODE (632.2633)

Description	Rule	Description	Rule
Overcurrent Protection	705.30	Signs	701.7
Power Control Systems	705.13	Tests and Maintenance	701.3
Scope	705.1	Transfer Equipment	701.5
Supply-Side Source Connections	705.11	Wiring	701.10
System Installation	705.8		
Unbalanced Interconnections	705.45		
Wiring Methods	705.25		
Intermediate Metal Conduit (Type IMC)		Liquidtight Flexible Metal Conduit (Type LFMC)	
Bends	342.24	Bends	350.24
Bushings	342.46	Definition	350.2
Couplings and Connectors	342.42	Equipment Grounding and Bonding Conductors	350.60
Definition	342.2	Listing Requirements	350.6
Dissimilar Metals	342.14	Number of Bends (360°)	350.26
Equipment Grounding Conductor	342.60	Number of Conductors	350.22
Listing Requirements	342.6	Securing and Supporting	350.30
Number of Bends (360°)	342.26	Trade Size	350.20
Number of Conductors	342.22	Trimming	350.28
Reaming	342.28	Uses Not Permitted	350.12
Securing and Supporting	342.30	Uses Permitted	350.10
Trade Size	342.20		
Uses Permitted	342.10		
Introduction to the National Electrical Code		Liquidtight Flexible Nonmetallic Conduit (Type LFNC)	
Code Arrangement	90.3	Bends	356.24
Enforcement	90.4	Definition	356.2
Examination of Equipment for Product Safety	90.7	Equipment Grounding Conductor	356.60
Mandatory Requirements and Explanatory Material	90.5	Fittings	356.42
Purpose of the NEC	90.1	Listing Requirements	356.6
Scope of the NEC	90.2	Number of Bends (360°)	356.26
		Number of Conductors	356.22
		Securing and Supporting	356.30
		Trade Size	356.20
		Uses Not Permitted	356.12
		Uses Permitted	356.10

L Large-Scale Photovoltaic (PV) Electric Supply Stations

Arc-Fault Mitigation	691.10
Conformance of Construction to Engineered Design	691.7
Direct-Current Operating Voltage	691.8
Disconnect for Isolating Photovoltaic Equipment	691.9
Engineered Design	691.6
Equipment	691.5
Fence Bonding and Grounding	691.11
Scope	691.1
Special Requirements for Large-Scale PV Electric Supply Stations	691.4

Legally Required Standby Systems

Capacity and Rating	701.4
Definition	701.2
General Requirements	701.12
Scope	701.1
Selective Coordination	701.32
Signals	701.6



www.MikeHolt.com

Lots of FREE Resources Including:
Code Forum | Instructor Resources | Graphics |
Videos | Weekly Newsletters | & much more...

**The Most Informative Electrical
Resource on the Web Today**

Load Calculations

Low-Voltage Lighting

Luminaires

M

Manufactured Wiring Systems

Marinas, Boatyards, and Docking Facilities

Boat Hoists	555.9
Boat Receptacle Disconnecting Means	555.36
Bonding of Noncurrent-Carrying Metal Parts	555.13
Definitions	555.2
Electric Shock Hazard Signage	555.10
Electrical Connections	555.30
Electrical Datum Plane Distances	555.3
Equipment Grounding Conductor	555.37
Ground-Fault Protection of Equipment (GFPE) and (GFCI) Protection	555.35
Load Calculations for Service and Feeder Conductors	555.6
Location of Service Equipment	555.4
Maximum Voltage	555.5
Motor Fuel Dispensing Stations—Hazardous (Classified) Locations	555.11
Receptacles	555.33
Repair Facilities—Hazardous (Classified) Locations	555.12
Scope	555.1
Transformers	555.7
Wiring Methods and Installation	555.34

Metal Wireways

Conductors Connected in Parallel	376.20
Construction	376.100
Definition	376.2
Number of Conductors and Ampacity	376.22
Splices, Taps, and Power Distribution Blocks	376.56
Supports	376.30
Uses Not Permitted	376.12
Uses Permitted	376.10
Wireway Sizing	376.23

Metal-Clad Cable (Type MC)

Bending Radius	330.24
Conductor Ampacities	330.80
Definition	330.2
Equipment Grounding Conductor	330.108
Exposed Work	330.15
In Accessible Attics or Roof Spaces	330.23
Listing Requirements	330.6
Securing and Supporting	330.30

Description	Rule	Description	Rule
Through or Parallel to Framing Members	330.17	Mandatory Requirements and Explanatory Material	90.5
Uses Not Permitted	330.12	Purpose of the <i>NEC</i>	90.1
Uses Permitted	330.10	Scope of the <i>NEC</i>	90.2
Mobile Homes, Manufactured Homes, and Mobile Home Parks		Neutral Conductors	
AFCI Protection	550.25	Identification of Neutral Conductors	200.6
Definitions	550.2	Identification of Terminals	200.10
Feeder	550.33	Means of Identification of Terminals	200.9
General Requirements	550.4	Neutral Conductor	200.4
Mobile and Manufactured Home Service Disconnect	550.32	Use of White or Gray Color	200.7
Receptacle Outlets	550.13		
Scope	550.1		
Wiring Methods and Materials	550.15		
Motor Fuel Dispensing Facilities		Nonmetallic-Sheathed Cable (Type NM)	
Classification of Locations	514.3	Accessible Attics and Roof Spaces	334.23
Conduit Seal	514.9	Bending Radius	334.24
Grounding and Bonding	514.16	Boxes and Fittings	334.40
Scope	514.1	Conductor Ampacity	334.80
Underground Wiring	514.8	Definition	334.2
Wiring and Equipment Above Class I Locations	514.7	Equipment Grounding Conductor	334.108
Wiring and Equipment Within Class I Locations	514.4	Exposed Work	334.15
		Listing Requirements	334.6
		Securing and Supporting	334.30
		Through or Parallel to Framing Members	334.17
		Uses Not Permitted	334.12
		Uses Permitted	334.10
Motors, Motor Circuits, and Controllers		O	
Branch-Circuit Short-Circuit and Ground-Fault Protection	430.52	Optical Fiber Cables	
Combined Overcurrent Protective Device	430.55	Abandoned Cable	770.25
Disconnect for Control Circuits	430.75	Access to Electrical Equipment Behind Panels Designed to Allow Access	770.21
Disconnect Location	430.102	Applications of Listed Optical Fiber Cables	770.154
Disconnect Readily Accessible	430.107	Definitions	770.2
Highest Rated Motor	430.17	Grounding	770.114
Location of Motors	430.14	Installation of Optical Fiber Cables	770.113
Motor Controller Horsepower Rating	430.83	Installation of Optical Fiber Cables and Electrical Conductors	770.133
Motor Feeder Protection	430.62	Mechanical Execution of Work	770.24
Overcurrent Protection for Control Circuits	430.72	Other Articles	770.3
Overload	430.31	Raceways and Cable Trays for Optical Fiber Cables	770.110
Overload Sizing for Continuous-Duty Motors	430.32	Scope	770.1
Several Motors—Conductor Size	430.24	Spread of Fire or Products of Combustion	770.26
Single Motor Conductor Size	430.22		
Table FLC versus Motor Nameplate Current Rating	430.6		
Type of Disconnecting Means	430.109		
Multioutlet Assemblies		Optional Standby Systems	
Through Partitions	380.76	Capacity and Rating	702.4
Uses Not Permitted	380.12	Definition	702.2
Uses Permitted	380.10	Outdoor Generator Sets	702.12
		Portable Generator Grounding	702.11
		Scope	702.1
		Signals	702.6
		Signs	702.7
		Transfer Equipment	702.5
		Wiring	702.10
N			
NEC Introduction			
Code Arrangement	90.3		
Enforcement	90.4		
Examination of Equipment for Product Safety	90.7		

www.MikeHolt.com • 888.NEC.CODE (632.2633)

Description	Rule	Description	Rule
General			
Abandoned Cable	725.25	Number of Bends (360°)	344.26
Circuit Requirements	725.35	Number of Conductors	344.22
Definitions	725.2	Reaming	344.28
Electrical Equipment Behind Access Panels	725.21	Securing and Supporting	344.30
Mechanical Execution of Work	725.24	Trade Size	344.20
Other Articles	725.3	Uses Permitted	344.10
Safety-Control Equipment	725.31		
Scope	725.1		
Resistance Welders		Rigid Polyvinyl Chloride Conduit (Type PVC)	
Ampacity of Supply Conductor	630.31	Bends	352.24
Disconnecting Means	630.33	Bushings	352.46
Overcurrent Protection	630.32	Definition	352.2
		Equipment Grounding Conductor	352.60
		Expansion Fittings	352.44
		Joints	352.48
		Number of Bends (360°)	352.26
		Number of Conductors	352.22
		Securing and Supporting	352.30
		Trade Size	352.20
		Trimming	352.28
		Uses Not Permitted	352.12
		Uses Permitted	352.10
Rigid Metal Conduit (Type RMC)			
Bends	344.24		
Bushings	344.46		
Couplings and Connectors	344.42		
Definition	344.2		
Dissimilar Metals	344.14		
Equipment Grounding Conductor	344.60		
Listing Requirements	344.6		

CONTINUING EDUCATION MADE EASY

For over 30 years Mike Holt Enterprises has been the leader in Electrical CEU.

Why should you choose a Mike Holt course?


- Available in Online As Well as Live Classes
- Convenient and Easy to Use
- Excellent Customer Support
- Approved in 32 states

Save 20% on all CEU Courses

Use Discount Code: **NDX20**

Visit: www.MikeHolt.com/ceu

Special cannot be combined with any other offer, or applied to previous orders



*Very clearly written and easy to understand.
Best NEC® course I have seen during my 35
year career in the industry.*

J. Warren

Description	Rule	Description	Rule
S			
Services			
<i>General</i>			
Clearances on Buildings	230.9	Listing Requirements	338.6
Conductors Considered Outside a Building	230.6	Uses Not Permitted	338.12
Not to Pass Through a Building	230.3	Uses Permitted	338.10
Number of Services	230.2		
Raceway Seals	230.8	Solar Photovoltaic (PV)	
Service Conductors Separate from Other Conductors	230.7	Systems Access to Boxes	690.34
Vegetation as Support	230.10	Alternating-Current Modules and Systems	690.6
		Arc-Fault Circuit Protection	690.11
Overhead Service Conductors		Circuit Current and Conductor Sizing	690.8
Means of Attachment	230.27	Component Interconnections	690.32
Overhead Service Conductor Size and Rating	230.23	Connection to Other Power Sources	690.59
Point of Attachment	230.26	Connectors (Mating)	690.33
Service Masts as Support	230.28	Definitions	690.2
Vertical Clearance for Overhead Service Conductors	230.24	Direct-Current PV Circuit Label	690.53
		Energy Storage	690.55
Overcurrent Protection		Energy Storage Systems	690.71
Ground-Fault Protection of Equipment	230.95	Equipment Grounding and Bonding	690.43
Location	230.91	General Requirements	690.4
Overload Protection—Where Required	230.90	Grounding Electrode System	690.47
		Identification of Power Sources	690.56
Service Disconnect		Interactive System Point of Interconnection	690.54
Connected on Supply Side of the Service Disconnect	230.82	Maximum PV System Direct-Current Circuit Voltage	690.7
Emergency Disconnects	230.85	Overcurrent Protection	690.9
Grouping of Disconnects	230.72	PV Equipment Disconnecting Means to Isolate PV Equipment	690.15
Manually or Power Operated	230.76	PV System Disconnect	690.13
Marking for Service Disconnect	230.66	Rapid Shutdown	690.12
Number of Service Disconnects	230.71	Scope	690.1
Rating of Disconnect	230.79	Self-Regulated PV Charge Control	690.72
Service Disconnect Requirements	230.70	Size of Equipment Grounding Conductors	690.45
Service Equipment—Enclosed or Guarded	230.62	Stand-Alone Systems	690.10
Surge Protection	230.67	Wiring Methods	690.31
Service-Entrance Conductors		Stand-Alone Systems	
Cable Supports	230.51	Equipment Approval	710.6
Conductor Sizing	230.42	General	710.15
High-Leg Conductor Identification	230.56	Identification of Power Sources	710.10
Number of Service-Entrance Conductor Sets	230.40	Scope	710.1
Overhead Service Locations	230.54	Stand-Alone Inverter Input Circuit Current	710.12
Protection Against Physical Damage	230.50		
Raceways to Drain	230.53	Storage Batteries	
Spliced Conductors	230.46	Battery and Cell Terminations	480.4
Wiring Methods	230.43	Battery Interconnections	480.12
		Battery Locations	480.10
Underground Service Conductors		Battery Support Systems	480.9
Installation	230.30	Definitions	480.2
Protection Against Damage	230.32	Direct-Current Disconnect Methods	480.7
Underground Service Conductor Size and Rating	230.31	Ground-Fault Detection	480.13
		Insulation of Batteries	480.8
Service Entrance Cable (Type SE and USE)		Scope	480.1
Bending Radius	338.24	Wiring and Equipment Supplied from Batteries	480.5
Definitions	338.2		

Description	Rule	Description	Rule
Surface Metal Raceways			
Definition	386.2	Scope	680.1
Equipment Grounding Conductor	386.60	Underground Wiring	680.11
Listing Requirements	386.6	Wiring Methods in Corrosive Environment	680.14
Number of Conductors	386.22	Hydromassage Bathtubs	
Securing and Supporting	386.30	Accessibility	680.73
Separate Compartments	386.70	Equipotential Bonding	680.74
Size of Conductors	386.21	General	680.70
Splices and Taps	386.56	GFCI Protection	680.71
Uses Not Permitted	386.12	Permanently Installed Pools	
Uses Permitted	386.10	Equipotential Bonding	680.26
Surge Protection		Feeders	680.25
Listing	242.8	Gas-Fired Water Heaters	680.28
Number Required	242.20	General	680.20
Routing of Surge Protection Device Conductors	242.24	Junction Box, Transformer, or GFCI Enclosure	680.24
Short-Circuit Current Rating	242.10	Pool Motors	680.21
Type 1 SPDs—Line Side of Service Disconnect	242.12	Receptacles, Luminaires, and Switches	680.22
Type 2 SPDs—Feeder Circuits	242.14	Specialized Equipment	680.27
Uses Not Permitted	242.6	Underwater Pool Luminaires	680.23
Swimming Pools, Spas, Hot Tubs, Fountains, and Similar Installations		Spas and Hot Tubs, and Permanently Installed Immersion Pools	
Electrically Powered Pool Lifts		Emergency Switch for Spas and Hot Tubs	680.41
Bonding	680.83	General	680.40
Equipment Approval	680.81	GFCI Protection	680.44
General	680.80	Indoor Installations	680.43
Protection	680.82	Outdoor Installations	680.42
Switching Devices and Receptacles	680.84	Permanently Installed Immersion Pools	680.45
Fountains			
Connection to an Equipment Grounding Conductor	680.54		
Cord-and-Plug-Connected Equipment	680.56		
Electric Signs in or Adjacent to Fountains	680.57		
General	680.50		
GFCI Protection for Adjacent Receptacles	680.58		
GFCI Protection for Permanently Installed Nonsubmersible Pumps	680.59		
Luminaires and Submersible Equipment	680.51		
Methods of Equipment Grounding	680.55		
General Requirements			
Approval of Equipment	680.3		
Bonding and Equipment Grounding	680.6		
Bonding and Equipment Grounding Terminals	680.7		
Definitions	680.2		
Electric Water Heaters	680.10		
Equipment Rooms and Pits	680.12		
Ground-Fault Circuit Interrupters	680.5		
Inspections After Installation	680.4		
Maintenance Disconnecting Means	680.13		
Overhead Conductor Clearance	680.9		



Have an NEC® Question?
Join the Mike Holt Code Community

Forum Topics include:
NEC | Electrical Calculations | Engineering |
Business Management | Estimating | Bonding and
Grounding | Low Voltage and Limited Energy |
Education | Safety

www.MikeHolt.com/forum

Description	Rule	Description	Rule
Storable Pools, Spas, Hot Tubs, and Immersion Pools		T	
General	680.30	Temporary Installations	
GFCI Protection	680.32	All Wiring Installations	590.2
Pumps	680.31	General	590.4
Receptacle Locations	680.34	GFCI Protection for Personnel	590.6
Storable and Portable Immersion Pools	680.35	Listing of Decorative Lighting	590.5
Switchboards and Panelboards		Overcurrent Protective Devices	590.8
Arrangement of Busbars and Conductors	408.3	Scope	590.1
Clearance for Conductors Entering Bus Enclosures	408.5	Time Constraints	590.3
Clearances	408.18	Transformers	
Equipment Grounding Conductor	408.40	Disconnecting Means	450.14
Field Identification	408.4	Grounding and Bonding	450.10
Neutral Conductor Terminations	408.41	Overcurrent Protection	450.3
Overcurrent Protection	408.36	Transformer Accessibility	450.13
Panelboard Orientation	408.43	Ventilation	450.9
Panelboards in Damp or Wet Locations	408.37	Tray Cable (Type TC)	
Reconditioning of Equipment	408.8	Bending Radius	336.24
Short-Circuit Current Rating	408.6	Definition	336.2
Unused Openings	408.7	Listing Requirements	336.6
Switches		Uses Not Permitted	336.12
Accessibility and Grouping	404.8	Uses Permitted	336.10
Damp or Wet Locations	404.4	U	
Electronic Control Switches	404.22	Underground Feeder and Branch-Circuit Cable (Type UF)	
General-Use Snap Switches, Dimmers, and Control Switches	404.9	Ampacity	340.80
Grounding of Enclosures	404.12	Bends	340.24
Indicating	404.7	Definition	340.2
Mounting of Snap Switches, Dimmers, and Control Switches	404.10	Equipment Grounding Conductor	340.108
Rating and Use of Snap Switches	404.14	Insulation	340.112
Switch Connections	404.2	Listing Requirements	340.6
Switch Enclosures	404.3	Uses Not Permitted	340.12
Switch Marking	404.20	Uses Permitted	340.10

LEARN THE 2020 CODE...



With one of Mike Holt's Best-Selling Code products

Takes you step-by-step through the
National Electrical Code®

Now is the time to master the Code. Learn
from NEC® Expert Mike Holt, and gain
confidence when you're in the field. Choose
from one of these great programs:

- ☐ Understanding the NEC® Complete
Training Library
- ☐ Bonding and Grounding Training
Program
- ☐ Changes to the 2020 NEC®
Training Program
- ☐ Solar Photovoltaic Systems Training
Library



Order Today & SAVE 20%

On any Mike Holt Code Product

Use Code: PDF20

www.MikeHolt.com/code
or Call to Order 888.632.2633

“ You make it so easy to learn. The
DVDs are a must, and of course the
books just jump out at you. Keep up
the good work.

-Mark K.

 **Mike Holt Enterprises**

*...as for me and my house, we will serve the Lord." [Joshua 24:15]

Discounts apply to Mike Holt products only and
cannot be combined with any other offer

Offer expires: 07/21/2021