

TABLE OF CONTENTS

About This Textbook	xv	110.16	Arc-Flash Hazard Marking, Other Than Dwelling Units	73
Additional Products to Help You Learn	xix	110.21	Hazard Markings	74
How to Use the <i>National Electrical Code</i>	1	110.22	Identification of Disconnecting Means	75
Article 90—Introduction to the <i>National Electrical Code</i>	7	110.24	Available Fault-Current Marking	75
90.1 Scope	7	110.25	Lockable Disconnecting Means	76
90.2 Scope and Application of the <i>NEC</i>	7	Part II. Not Over 1000V		76
90.3 Code Arrangement	11	110.26	Working Spaces About Electrical Equipment	76
90.4 <i>NEC</i> Enforcement	12	110.27	Protection Against Physical Damage	86
90.5 Mandatory and Permissive Rules, and Explanatory Material	13	110.28	NEMA Enclosure Types	86
90.7 Examination of Equipment for Safety	13	ANSI/NEMA 250-2020 Enclosures for Electrical Equipment		86
Article 90—Review Questions	15	110.29	In Sight From (Within Sight From, Within Sight)	88
CHAPTER 1—GENERAL RULES	17	Article 120—Branch-Circuit, Feeder, and Service Load Calculations		89
Article 100—Definitions	19	Part I. General		89
100 Scope	19	120.1 Scope	89	
Article 110—General Requirements for Electrical Installations	55	120.3 Application of Other Articles	89	
Part I. General Requirements	55	120.5 Load Calculations	89	
110.1 Scope	55	120.6 Noncoincident Loads	91	
110.2 Approval of Conductors and Equipment	55	120.7 Power Control Systems (PCS)	91	
110.3 Installation and Use of Equipment	56	Part II. Branch-Circuit Load Calculations		92
110.5 Conductor Material	57	120.13 Dwelling Units—Branch Circuit Load	92	
110.6 Conductor Sizes	57	120.14 Branch-Circuit Load Calculations	93	
110.7 Wiring Integrity	58	Part III. Feeder and Service Load Calculations		96
110.8 Suitable Wiring Methods	58	120.40 General	96	
110.9 Overcurrent Protective Device Interrupting Rating	59	120.41 Dwelling Unit Load Calculations	96	
Available Fault Current	60	120.50 Motor and Air-Conditioning Loads	97	
110.10 Equipment Short-Circuit Current Rating, Available Fault Current	61	120.51 Fixed Electric Space-Heating Load	97	
110.11 Deteriorating Agents	61	120.52 Dwelling Unit Small-Appliance and Laundry Loads	98	
110.12 Mechanical Execution of Work	63	120.53 Dwelling Unit Appliance Demand Load	98	
110.13 Equipment Mounting and Cooling	64	120.54 Dwelling Unit Clothes Dryer Demand Load	99	
110.14 Electrical Connections	65	120.55 Dwelling Unit Cooking Appliance Demand Load	100	
110.15 High-Leg Conductor Identification	73	120.57 Electric Vehicle Supply Equipment Load	102	
		120.61 Neutral Calculated Load	102	
		Part IV. Optional Feeder and Service Load Calculations		103
		120.82 Dwelling Unit Optional Load Calculations	103	
		120.83 Existing Dwelling Unit Optional Load Calculation	105	
		120.87 Determining Existing Loads	105	

Article 130—Energy Management Systems	107
Part I. General	107
130.1 Scope	107
130.2 Listing Requirements	108
130.30 Load Management	108
Part II. Power Control Systems (PCS)	108
130.50 General	108
130.60 Conductors and Equipment	108
130.70 Settings	109
130.80 Marking and Documentation	109
Chapter 1—Review Questions	111

CHAPTER 2—WIRING AND PROTECTION 115

Article 200—Use and Identification of Grounded Conductors	117
200.1 Scope	118
200.4 General	118
200.6 Neutral Conductor	118
200.7 Identification of Grounded Conductors	120
200.8 Use of White or Gray Color	122
200.10 Receptacle and Screw Shell Terminal	123

Article 206—Non-Power-Limited Remote-Control and Signaling Circuits	125
206.1 Scope	125
206.4 Installation	125

Article 210—Branch Circuits	127
Part I. General	127
210.1 Scope	127
210.4 Multiwire Branch Circuits	128
210.5 Conductor Identification	132
210.6 Branch-Circuit Voltage	134
210.7 Multiple Branch Circuits	134
210.8 GFCI Protection	135
210.11 Branch Circuits Required	146
210.12 Arc-Fault Circuit-Interrupter Protection	149
Part II. Branch-Circuit Ratings	153
210.18 Branch Circuit Rating	153
210.19 Conductor Sizing	153
210.20 Overcurrent Protection	157
210.21 Receptacle Rating	157
210.22 Permissible Loads, Individual Branch Circuits	159
210.23 Multiple-Outlet Branch Circuits	159

Part III. Required Outlets	160
210.50 Receptacle Outlets	160
210.52 Dwelling Unit Receptacle Outlet Requirements	160
210.62 Show-Window Receptacles	168
210.63 Equipment Requiring Servicing	169
210.65 Meeting Rooms	169
210.70 Lighting Outlet Requirements	171

Article 215—Feeders	175
215.1 Scope	175
215.4 Conductor Sizing	176
215.5 Overcurrent Protection Sizing	178
215.12 Conductor Identification	179
215.15 Barriers	180
215.18 Surge Protection	181

Article 225—Outside Branch Circuits and Feeders	183
Part I. General	183
225.1 Scope	183
225.6 Minimum Conductor Size and Support	183
225.16 Attachment to Buildings	184
225.17 Masts as Supports	184
225.18 Clearance for Overhead Conductors	184
225.19 Clearances from Buildings	185
225.22 Raceways on Exterior Surfaces of Buildings	186
225.26 Trees for Conductor Support	187
225.27 Raceway Seals	187
Part II. Buildings or Other Structures Supplied by a Feeder	187
225.30 Number of Supplies	187
225.31 Disconnecting Means	188
225.33 Maximum Number of Disconnects	189
225.34 Grouping of Disconnects	189
225.37 Identification of Multiple Supplies	190
225.39 Rating of Disconnecting Means	190
225.41 Emergency Disconnect	190

Article 230—Services	193
Part I. General	194
230.1 Scope	194
230.2 Listing Requirements	194
230.4 Number of Services	195
230.6 Conductors Considered Outside a Building	196
230.7 Service Conductors Separate from Other Conductors	196
230.8 Raceway Seals	197
230.9 Clearances on Buildings	197
230.10 Vegetation as Support	198

Part II. Overhead Service Conductors	198	Part III. Enclosures Containing Overcurrent Protective Devices	233
230.23 Overhead Service Conductor Size and Ampacity	198	240.33 Vertical Position of Enclosures	233
230.24 Vertical Clearance for Overhead Service Conductors	199	Part V. Plug Fuses, Fuseholders, and Adapters	233
230.26 Point of Attachment	199	240.51 Edison-Base Fuses	233
230.27 Means of Attachment	199	Part VI. Cartridge Fuses	234
230.28 Service Masts as Support	199	240.60 General	234
Part III. Underground Service Conductors	200	Part VII. Circuit Breakers	234
230.30 Installation	200	240.80 Method of Operation	234
230.31 Underground Service Conductor Ampacity	200	240.81 Indicating	234
230.32 Protection Against Damage	201	240.85 Circuit Breaker Applications	235
Part IV. Service-Entrance Conductors	201	Article 242—Overvoltage Protection (SPD)	237
230.42 Conductor Sizing	201	Part I. General	238
230.43 Wiring Methods	202	242.1 Scope	238
230.46 Spliced and Tapped Connections	203	Part II. Surge-Protective Devices (SPDs), Not over 1000V	238
230.50 Protection Against Physical Damage	203	242.2 Listing	238
230.51 Cable Supports	204	242.8 Short-Circuit Current Rating	238
230.53 Raceways to Drain	204	242.13 Type 1 Surge-Protective Device (SPD)—Supply Side of Service Equipment	238
230.54 Overhead Service Locations	204	242.14 Type 2 Surge-Protective Devices (SPD) Feeder Circuits	239
Part V. Service Equipment (Disconnect)—General	205	242.24 Routing of Surge-Protective Device Conductors	240
230.62 Service Equipment—Barrier Placement	205	Article 250—Grounding and Bonding	241
230.66 Marking for Service Equipment	205	Part I. General	241
230.67 Surge Protection	205	250.1 Scope	241
230.68 Meter Socket	207	250.4 Performance Requirements for Grounding and Bonding	242
Part VI. Service Disconnect—Disconnecting Means	207	Earth Shells	246
230.70 Service Disconnect Requirements	207	250.6 Objectionable Current (Ground Loop)	247
230.71 Number of Service Disconnects	209	Objectionable Neutral Currents	248
230.72 Grouping of Service Disconnects	210	Dangers of Objectionable Current	249
230.79 Rating of Disconnect	211	250.8 Connection of Grounding and Bonding Conductors and Terminals	250
230.82 Connected on Supply Side of the Service Disconnect	211	250.10 Protection of Ground Clamps and Fittings	251
Part VII. Service Conductor Overcurrent Protection	213	250.12 Clean Surfaces	251
230.90 Overload Protection—Where Required	213	Part II. System Grounding and Bonding	251
Article 240—Overcurrent Protection	215	250.20 Systems Required to be Grounded	251
Part I. General	216	250.24 Service Grounding	252
240.1 Scope	216	250.25 Grounding of Systems on the Supply Side of the Service Disconnect	255
240.2 Listing Requirements	216	250.28 Main Bonding Jumper and System Bonding Jumper	255
240.4 Overcurrent Protection of Conductors	217	250.30 Transformer Separately Derived Systems	258
240.5 Overcurrent Protection of Flexible Cords, Flexible Cables, and Fixture Wires	220	250.32 Buildings Supplied by a Feeder	266
240.6 Standard Ampere Ratings	220	250.34 Portable and Vehicle- or Trailer-Mounted Generators	268
240.15 Circuit Breaker Handle Ties	221	250.35 Permanently Installed Generators	269
Part II. Location of Overcurrent Protective Device	223	250.36 Impedance Grounded Systems—480V to 1000V	269
240.21 Location of Overcurrent Protective Device in Circuit	223		
240.22 Grounded-Phase Conductor on Overcurrent Protective Device	230		
240.24 Location of Overcurrent Protective Devices	231		

Part III. Grounding Electrode System and Grounding Electrode Conductor	270
250.50 Grounding Electrode System	270
250.52 Grounding Electrode Types	271
250.53 Grounding Electrode Installation	275
Measuring Contact Resistance of Electrodes to Earth	275
250.54 Auxiliary Grounding Electrodes	279
250.60 Lightning Protection Electrode	281
250.64 Grounding Electrode Conductor Installation	281
250.66 Sizing Grounding Electrode Conductors.....	285
250.68 Grounding Electrode Conductor Termination.....	287
250.70 Grounding Electrode Conductor Fittings	289
Part IV. Enclosure and Raceway	290
250.80 Service Raceways and Enclosures	290
250.86 Other than Service Enclosures and Raceways	290
Part V. Bonding	291
250.92 Bonding Metal Service Raceways and Enclosures	291
250.94 Intersystem Bonding Termination	293
250.96 Bonding Metal Parts	295
250.97 Bonding Metal Raceways and Metal Cables Containing 480Y/277V Circuits	296
250.98 Bonding Loosely Jointed Metal Raceways.....	297
250.102 Bonding Jumper Sizing.....	297
250.104 Bonding of Metal Piping Systems and Exposed Structural Metal.....	300
250.106 Lightning Protection Systems.....	304
Part VI. Equipment Grounding Conductors	304
250.109 Bonding Metal and Nonmetallic Enclosures	304
250.114 Equipment Connected by Cord and Plug	305
250.118 Types of Equipment Grounding Conductors.....	306
250.119 Identification of Wire-Type Equipment Grounding Conductors	309
250.120 Equipment Grounding Conductor Installation.....	310
250.122 Sizing Wire-Type Equipment Grounding Conductors.....	310
250.124 Equipment Grounding Conductor Continuity	313
Part VII. Equipment Grounding Conductor Connections	314
250.134 Equipment Connected by Permanent Wiring Methods.....	314
250.138 Cord-and-Plug-Connected	314
250.140 Ranges, Ovens, Cooktops, and Clothes Dryers.....	314
250.142 Use of Neutral Conductor for Grounding Equipment.....	315
250.146 Receptacle Grounding Terminal Bonding.....	317
250.148 Continuity and Connections of Equipment Grounding Conductors in Boxes.....	320
Chapter 2—Review Questions	323

CHAPTER 3—WIRING METHODS AND MATERIALS.....329

Article 300—General Requirements for Wiring Methods and Materials.....331

Part I. General Requirements	331
300.1 Scope	331
300.4 Fire and Water Damage.....	332
300.5 Conductors	332
300.6 Protection Against Physical Damage.....	335
300.7 Underground Installations.....	339
300.8 Protection Against Corrosion.....	342
300.9 Raceways Exposed to Different Temperatures.....	343
300.11 Raceways in Wet Locations	344
300.12 Electrical Continuity.....	344
300.13 Securing and Supporting	345
300.14 Mechanical Continuity.....	347
300.15 Mechanical and Electrical Continuity of Conductors	348
300.16 Conductor Length at Boxes	349
300.17 Boxes or Fittings, Splices and Terminations	350
300.19 Number and Size of Conductors in a Raceway.....	352
300.20 Raceway Installations.....	354
300.21 Supporting Conductors in Vertical Raceways.....	354
300.22 Reducing Hysteresis Heating.....	354
300.23 Spread of Fire or Products of Combustion	356
300.24 Total Raceway Bends	357
300.25 Wiring in Ducts and Plenum Spaces.....	357
300.26 Panels Designed to Allow Access	359

Article 310—Conductors for General Wiring.....361

Part I. General	361
310.1 Scope	361
310.2 Listing Requirements	361
Part II. Construction Specifications	361
310.4 Conductor Construction and Application	361
310.5 Conductors, Minimum Size and Material.....	363
310.6 Conductor Identification.....	364
Part III. Installation	365
310.10 Uses Permitted.....	365
310.12 Dwelling Services and Feeders	367
310.14 Ampacities for Conductors	370
310.15 Ampacity Tables.....	370
310.16 Insulated Conductors.....	378

Article 312—Cabinets and Meter Socket Enclosures.....381

Part I. General	381
312.1 Scope	381

312.2	Listing Requirements	381
312.4	Damp or Wet Locations	381
312.5	Position in Walls	382
312.7	Repairing Gaps in Noncombustible Surfaces	382
312.8	Cable Termination to Enclosures	382
312.11	Overcurrent Protective Device and Switch Enclosures	384
312.13	Screws or Other Fasteners	385

Article 314—Boxes, Conduit Bodies, and Handhole Enclosures.....387

Part I. General.....387

314.1	Scope	387
314.2	Listing Requirements	387
314.5	Nonmetallic Boxes	388
314.6	Metal Boxes	388
314.7	Screws or Other Fasteners	388

Part II. Installation.....388

314.15	Wet Locations.....	388
314.16	Outlet Box Sizing	389
314.17	Cables That Enter Boxes	396
314.20	Flush-Mounted Boxes	397
314.21	Repairing Noncombustible Surfaces	398
314.22	Surface Extensions	398
314.23	Supporting Enclosures	399
314.25	Box Covers	401
314.27	Box Requirements.....	402
314.28	Pull and Junction Boxes	404
314.29	Wiring to be Accessible.....	406
314.30	Handhole Enclosures.....	407

Article 320—Armored Cable (AC Cable).....411

Part I. General.....411

320.1	Scope	411
320.2	Listing Requirements	412

Part II. Installation.....412

320.10	Uses Permitted.....	412
320.12	Uses Not Permitted.....	412
320.15	Exposed Work.....	412
320.17	Through or Parallel to Framing Members.....	412
320.23	In Accessible Attic Spaces.....	413
320.24	Bending Radius	413
320.30	Securing and Supporting	413
320.40	Boxes and Fittings.....	414
320.80	Conductor Ampacity.....	415

Part III. Construction Specifications.....416

320.108	Equipment Grounding Conductor.....	416
---------	------------------------------------	-----

Article 330—Metal-Clad Cable (MC Cable).....417

Part I. General.....417

330.1	Scope	417
330.2	Listing Requirements	418

Part II. Installation.....418

330.10	Uses Permitted.....	418
330.12	Uses Not Permitted.....	419
330.15	Exposed Work.....	419
330.17	Through or Parallel to Framing Members.....	419
330.23	In Accessible Attics Spaces.....	419
330.24	Bending Radius	420
330.30	Securing and Supporting	420
330.80	Conductor Ampacities.....	421

Part III. Construction Specifications.....422

330.108	Equipment Grounding Conductor.....	422
---------	------------------------------------	-----

Article 334—Nonmetallic-Sheathed Cable (NM Cable).....423

Part I. General.....423

334.1	Scope	423
334.2	Listing Requirements	424

Part II. Installation.....424

334.10	Uses Permitted.....	424
334.12	Uses Not Permitted.....	425
334.15	Exposed Work.....	426
334.17	Through or Parallel to Framing Members.....	427
334.19	Cables Entering Enclosures	428
334.23	In Accessible Attic Spaces.....	428
334.24	Bending Radius	429
334.30	Securing and Supporting	429
334.40	Boxes and Fittings.....	430
334.80	Conductor Ampacity.....	430

Part III. Construction Specifications.....432

334.108	Equipment Grounding Conductor.....	432
---------	------------------------------------	-----

Article 336—Power and Control Tray Cable (TC Cable).....433

Part I. General.....433

336.1	Scope	433
336.2	Listing Requirements	433

Part II. Installation.....434

336.10	Uses Permitted.....	434
336.12	Uses Not Permitted.....	434
336.24	Bending Radius	434
336.30	Securing and Supporting	434

Article 338—Service-Entrance Cable (SE and USE Cable)

Part I. General	435
338.1 Scope	435
338.2 Listing Requirements	436
Part II. Installation	436
338.10 Uses Permitted	436
338.12 Uses Not Permitted	436
338.24 Bending Radius	437

Article 340—Underground Feeder and Branch-Circuit Cable (UF Cable)

Part I. General	439
340.1 Scope	439
340.2 Listing Requirements	439
Part II. Installation	440
340.10 Uses Permitted	440
340.12 Uses Not Permitted	440
340.24 Bends	440
340.80 Ampacity	440

Article 342—Intermediate Metal Conduit (IMC)

Part I. General	443
342.1 Scope	443
342.2 Listing Requirements	443
Part II. Installation	444
342.10 Uses Permitted	444
342.14 Dissimilar Metals	444
342.20 Trade Size	444
342.22 Number of Conductors	444
342.24 Bends	444
342.28 Reaming	444
342.29 Paired Locknuts	445
342.30 Securing and Supporting	445
342.42 Couplings and Connectors	447
342.46 Bushings	448
342.60 Equipment Grounding Conductor	448

Article 344—Rigid Metal Conduit (RMC)

Part I. General	449
344.1 Scope	449
344.2 Listing Requirements	449
Part II. Installation	450
344.10 Uses Permitted	450
344.14 Dissimilar Metals	450
344.20 Trade Size	450

344.22 Number of Conductors	450
344.24 Bends	450
344.28 Reaming	451
344.29 Paired Locknuts	451
344.30 Securing and Supporting	451
344.42 Couplings and Connectors	453
344.46 Bushings	454
344.60 Equipment Grounding Conductor	455

Article 348—Flexible Metal Conduit (FMC)

Part I. General	457
348.1 Scope	457
348.2 Listing Requirements	457
Part II. Installation	457
348.10 Uses Permitted	457
348.12 Uses Not Permitted	458
348.20 Trade Size	458
348.22 Number of Conductors	458
348.24 Bends	459
348.28 Trimming	459
348.30 Securing and Supporting	459
348.42 Connectors	460
348.60 Equipment Grounding and Bonding Conductors	460

Article 350—Liquidtight Flexible Metal Conduit (LFMC)

Part I. General	461
350.1 Scope	461
350.2 Listing Requirements	462
Part II. Installation	462
350.10 Uses Permitted	462
350.12 Uses Not Permitted	462
350.20 Trade Size	462
350.22 Number of Conductors	462
350.24 Bends	463
350.28 Trimming	463
350.30 Securing and Supporting	463
350.42 Connectors	464
350.60 Equipment Grounding and Bonding Conductors	464

Article 352—Rigid Polyvinyl Chloride Conduit (PVC)

Part I. General	465
352.1 Scope	465
352.2 Listing	466
Part II. Installation	466
352.10 Uses Permitted	466

352.12	Uses Not Permitted.....	467	362.20	Trade Sizes.....	486
352.20	Trade Size	467	362.22	Number of Conductors	486
352.22	Number of Conductors	468	362.24	Bends	486
352.24	Bends	468	362.28	Trimming.....	486
352.28	Trimming.....	469	362.30	Securing and Supporting	486
352.30	Securing and Supporting	469	362.46	Bushings	487
352.44	Expansion Fittings.....	470	362.48	Joints.....	487
352.46	Bushing or Adapter	470			
Article 356—Liquidtight Flexible Nonmetallic Conduit (LFNC)			Article 376—Metal Wireways.....		
Part I. General			Part I. General		
356.1	Scope	473	376.1	Scope	489
356.2	Listing Requirements	473	Part II. Installation		
Part II. Installation			376.10	Uses Permitted.....	489
356.10	Uses Permitted.....	474	376.12	Uses Not Permitted.....	490
356.12	Uses Not Permitted.....	474	376.20	Conductors Connected in Parallel.....	490
356.20	Trade Size	474	376.21	Size of Conductors.....	490
356.22	Number of Conductors	474	376.22	Number of Conductors and Ampacity	490
356.24	Bends	475	376.23	Wireway Sizing	492
356.30	Securing and Supporting	475	376.30	Supports	493
356.42	Fittings	475	376.56	Splices, Taps, and Power Distribution Blocks.....	493
Article 358—Electrical Metallic Tubing (EMT).....			376.60	Equipment Grounding Conductor.....	494
Part I. General			Article 380—Multioutlet Assemblies.....		
358.1	Scope	477	Part I. General		
358.2	Listing Requirements	477	380.1	Scope	495
Part II. Installation			380.2	Listing Requirements	495
358.10	Uses Permitted.....	478	Part II. Installation		
358.12	Uses Not Permitted.....	479	380.10	Uses Permitted.....	495
358.20	Trade Size	479	380.12	Uses Not Permitted.....	496
358.22	Number of Conductors	479	380.76	Through Partitions	496
358.24	Bends	480	Article 386—Surface Metal Raceways.....		
358.28	Reaming.....	480	Part I. General		
358.30	Securing and Supporting	480	386.1	Scope	497
358.42	Couplings and Connectors.....	481	386.2	Listing Requirements	497
358.60	Equipment Grounding Conductor.....	482	Part II. Installation		
Article 362—Electrical Nonmetallic Tubing (ENT).....			386.10	Uses Permitted.....	498
Part I. General			386.12	Uses Not Permitted.....	498
362.1	Scope	483	386.21	Size of Conductors.....	498
362.2	Listing.....	484	386.22	Number of Conductors	498
Part II. Installation			386.30	Supporting.....	499
362.10	Uses Permitted.....	484	386.56	Splices and Taps	499
362.12	Uses Not Permitted.....	485	386.60	Equipment Grounding Conductor.....	499

Article 392—Cable Trays	501
Part I. General	501
392.1 Scope.....	501
Part II. Installation	501
392.10 Uses Permitted.....	501
392.12 Uses Not Permitted.....	503
392.18 Cable Tray Installations.....	503
392.20 Cable and Conductor Installation.....	504
392.30 Securing and Supporting.....	504
392.44 Expansion Splice Plates.....	504
392.46 Bushed Conduit and Tubing.....	504
392.56 Cable Splices.....	505
Chapter 3—Review Questions	507

CHAPTER 4—EQUIPMENT FOR GENERAL USE.....513

Article 400—Flexible Cords	515
400.1 Scope.....	515
400.4 Flexible Cords Types.....	515
400.5 Flexible Cord Ampacity.....	516
400.7 Suitability.....	516
400.10 Uses Permitted.....	516
400.12 Uses Not Permitted.....	518
400.13 Splices.....	519
400.14 Pull at Joints and Terminals.....	519
400.17 Protection from Damage.....	519

Article 404—Switches.....521

Part I. Installation	521
404.1 Scope.....	521
404.2 Listing Requirements.....	521
404.5 Switch and Circuit Breaker Enclosures.....	522
404.6 Damp or Wet Locations.....	522
404.9 Indicating.....	523
404.10 Accessibility and Grouping.....	523
404.12 Bonding of Enclosures.....	524
Part II. Construction Specifications	524
404.20 Switch Marking.....	524

Article 406—Wiring Devices.....527

Part I. General	527
406.1 Scope.....	527
406.2 Listing Requirements.....	527
406.9 Wiring Devices in Damp or Wet Locations.....	527
406.10 Wiring Device Terminations.....	531

Part II. Receptacles, Cord Connectors, and Attachment Plugs (Caps).....532

406.11 Receptacle Rating and Type.....	532
406.12 General Installation Requirements.....	533
406.14 Receptacle Mounting.....	536
406.16 Receptacle Faceplates or Cover Plates.....	538
406.18 Attachment Plugs and Flanged Surface Inlets.....	538
406.26 Tamper-Resistant Receptacles.....	539

Part III. General-Use Snap Switches, Dimmers, and Electronic Control Switches.....540

406.30 Switch Connections.....	540
406.38 Accessibility and Grouping.....	542
406.40 Switches, Dimmers, and Control Switches.....	543
406.42 Snap Switches, Dimmers, and Control Switches Mounting.....	544
406.46 Snap Switch Rating and Use.....	545

Article 408—Switchboards and Panelboards.....547

Part I. General	547
408.1 Scope.....	547
408.4 Circuit Directory and Description.....	547
408.5 Clearance for Conductors Entering Bus Enclosures.....	549
408.6 Short-Circuit Current Rating.....	549
408.7 Unused Openings.....	550
408.9 Replacement Panelboards.....	550
408.10 Busbars and Conductors Arrangement.....	551
408.14 Panelboard and Switchboard Ampere Rating.....	552
Part III. Panelboards	552
408.36 Overcurrent Protection.....	552
408.40 Equipment Grounding Conductor.....	553
408.41 Neutral Conductor Terminations.....	554
408.43 Panelboard Orientation.....	554

Article 410—Luminaires.....555

Part I. General	555
410.1 Scope.....	555
410.2 Listing Required.....	555
Part II. Luminaire Locations	556
410.10 Luminaires in Specific Locations.....	556
410.16 Luminaires in Clothes Closets.....	557
Part III. Luminaire Outlet Boxes and Covers	559
410.22 Outlet Boxes to be Covered.....	559
410.24 Electric-Discharge and LED Luminaire Connection.....	559
Part IV. Luminaire Supports	560
410.30 Luminaire Supports.....	560
410.36 Means of Support.....	561

Part V. Grounding (Bonding)	562
410.44 Connection to the Equipment Grounding Conductor	562
Part X. Special Provisions for Flush and Recessed Luminaires	562
410.116 Clearance and Installation.....	562
Part XIII. Track Lighting	563
410.150 Installation	563
410.154 Fastening	563
 Article 411—Low-Voltage Lighting	565
411.1 Scope	565
411.2 Listing Requirements	565
411.4 Low-Voltage Lighting Systems	566
411.6 Specific Location Requirements	566
411.8 Branch Circuit.....	566
 Article 422—Appliances	569
Part I. General	569
422.1 Scope	569
422.2 Listing Required	569
422.5 GFCI Protection.....	569
Part II. Branch-Circuit Requirements	571
422.10 Branch Circuits.....	571
422.11 Overcurrent Protection	571
422.13 Storage Water Heaters	572
422.16 Flexible Cords	573
422.18 Ceiling Paddle Fans.....	575
422.20 Outlet Boxes to be Covered.....	575
Part III. Disconnecting Means	576
422.30 Disconnect—General.....	576
422.31 Permanently Connected Appliance Disconnects.....	576
422.33 Cord-and-Plug-Connected Appliances	576
 Article 424—Fixed Electric Space-Heating Equipment	577
Part I. General	577
424.1 Scope	577
424.2 Listing Requirements	577
424.5 Continuous Load	577
Part III. Fixed Electric Space-Heating Equipment	578
424.19 Disconnecting Means	578
Part VI. Duct Heaters	579
424.65 Location of Disconnecting Means for Electric Duct Heater.....	579

Article 430—Motor Circuits, Controllers, and Adjustable-Speed Drives	581
Part I. General	581
430.1 Scope	581
430.6 Motor Table Full-Load Current versus Motor Nameplate Current Rating	582
Part II. Conductor Ampacity	583
430.22 Motor Conductor Ampacity.....	583
430.24 Feeder Conductor Ampacity	585
Part III. Motor and Branch-Circuit Overload Protection	586
430.31 Overload Protection	586
430.32 Overload Protection for Continuous-Duty Motors.....	587
Part IV. Branch-Circuit Short-Circuit and Ground-Fault Protection	589
430.51 General.....	589
430.52 Branch-Circuit Short-Circuit and Ground-Fault Protection.....	589
430.55 Combined Overcurrent Protective Device	592
Part V. Feeder Short-Circuit and Ground-Fault Protection	593
430.62 Motor Feeder Protection	593
Part VI. Motor Control Circuits	594
430.72 Overcurrent Protection for Control Circuits	594
430.75 Control Circuit Disconnect	594
Part VII. Motor Controllers	594
430.83 Motor Controller Types	594
Part IX. Disconnecting Means	595
430.101 General.....	595
430.102 Disconnect Location.....	595
430.107 Readily Accessible Disconnect.....	596
430.109 Motor Disconnecting Mean Types.....	596
Part X. Adjustable-Speed Drive Systems	597
430.120 General.....	597
430.122 Conductor Ampacity.....	597
430.124 Overload Protection	599
430.128 Disconnecting Means	599
430.130 Branch-Circuit Short-Circuit and Ground-Fault Protection	599
430.131 Several Motors or Loads on One Branch Circuit Including Power Conversion Equipment.....	600
430.132 GFCI and SPGFCI Between Power Conversion Equipment and Motors.....	601
Part XIV. Tables	601
430.248 Full-Load Current, Single-Phase Motors	601
430.250 Full-Load Current, Three-Phase Motors.....	601

Article 440—Air-Conditioning and Refrigeration Equipment	603
Part I. General	603
440.1 Scope	603

440.4 Marking on Hermetic Refrigerant Motor-Compressors
and Equipment603

440.9 Equipment Grounding Conductor.....605

Part II. Disconnecting Means605

440.14 Location605

440.15 Split-System Indoor Unit Identification606

Part III. Overcurrent Protection606

440.21 General.....606

440.22 Short-Circuit and Ground-Fault Overcurrent Protective Device
Size606

Part IV. Conductor Sizing607

440.33 Motor-Compressor(s) With or Without Additional Motor
Loads.....607

Article 445—Generators.....609

445.1 Scope609

445.2 Listing Requirements609

445.11 Marking610

445.13 Conductor Minimum Ampacity and Size610

445.18 Disconnecting Means610

445.19 Prime Mover Emergency Shutdowns.....611

Article 450—Transformers613

450.1 Scope613

450.5 Primary Overcurrent Protection.....614

450.6 Autotransformers.....616

450.11 Ventilation616

450.12 Grounding and Bonding.....616

450.15 Transformer Accessibility.....617

450.16 Disconnecting Means617

Article 480—Stationary Batteries.....619

480.1 Scope619

480.4 Battery and Cell Terminations619

480.9 Battery Support Systems.....620

480.10 Battery Locations.....620

480.12 Battery Interconnections.....621

480.14 Overcharge Control621

Chapter 4—Review Questions623

FINAL EXAM A—STRAIGHT ORDER.....629

FINAL EXAM B—RANDOM ORDER.....639

INDEX.....649

About the Author659

About the Mike Holt Team661