

TABLE OF CONTENTS

About This Textbook	xv	110.25 Lockable Disconnecting Means	83
Additional Products to Help You Learn	xviii	Part II. 1,000V, Nominal, or Less	84
How to Use the <i>National Electrical Code</i>	1	110.26 Spaces About Electrical Equipment.....	84
Article 90—Introduction to the <i>National Electrical Code</i>	7	110.28 Enclosure Types	92
90.1 Purpose of the <i>NEC</i>	7	Chapter 1—Practice Questions	95
90.2 Scope of the <i>NEC</i>	8		
90.3 <i>Code Arrangement</i>	11		
90.4 Enforcement	12		
90.5 Mandatory Requirements and Explanatory Material	13		
90.7 Examination of Equipment for Product Safety.....	14		
Article 90—Practice Questions	15		
CHAPTER 1—GENERAL RULES	19		
Article 100—Definitions	21		
100 Definitions	21		
Article 110—Requirements for Electrical Installations	65		
Part I. General Requirements	65		
110.1 Scope	65		
110.2 Approval of Conductors and Equipment.....	65		
110.3 Use and Product Listing (Certification) of Equipment.....	66		
110.4 Voltage Rating of Electrical Equipment	66		
110.5 Conductor Material	66		
110.6 Conductor Sizes	67		
110.7 Wiring Integrity.....	67		
110.8 Suitable Wiring Methods.....	67		
110.9 Interrupting Rating (Overcurrent Protective Devices).....	68		
110.10 Equipment Short-Circuit Current Rating	68		
110.11 Deteriorating Agents.....	69		
110.12 Mechanical Execution of Work	70		
110.13 Mounting and Cooling of Equipment.....	72		
110.14 Conductor Termination and Splicing.....	72		
110.15 High-Leg Conductor Identification.....	79		
110.16 Arc Flash Hazard Warning.....	80		
110.21 Markings	81		
110.22 Identification of Disconnecting Means	82		
110.24 Available Fault Current	83		
		CHAPTER 2—WIRING AND PROTECTION	101
		Article 200—Use and Identification of Grounded	
		Conductors	103
		200.1 Scope	104
		200.2 General.....	104
		200.4 Neutral Conductor.....	104
		200.6 Identification of Grounded Conductors.....	105
		200.7 Use of White or Gray Color	107
		200.9 Means of Identification of Terminals.....	108
		200.10 Identification of Terminals.....	108
		Article 210—Branch Circuits	109
		Part I. General Provisions	109
		210.1 Scope	109
		210.3 Other Articles.....	110
		210.4 Multiwire Branch Circuits.....	110
		210.5 Identification for Branch Circuits.....	112
		210.7 Multiple Branch Circuits	114
		210.8 GFCI Protection.....	114
		210.11 Branch Circuits Required	121
		210.12 Arc-Fault Circuit-Interrupter Protection	123
		Part II. Branch-Circuit Ratings	124
		210.18 Branch-Circuit Rating.....	124
		210.19 Conductor Sizing	125
		210.20 Overcurrent Protection	128
		210.21 Receptacle Rating.....	129
		210.23 Permissible Loads, Multiple-Outlet Branch Circuits	130
		Part III. Required Outlets	130
		210.50 Receptacle Outlets.....	130
		210.52 Dwelling Unit Receptacle Outlet Requirements.....	131
		210.60 Receptacles in Guest Rooms, Guest Suites, Dormitory	
		Units, and Similar Occupancies.....	138
		210.63 Equipment Requiring Servicing	139

210.65	Meeting Rooms	140	225.19	Clearances from Buildings	178
210.70	Lighting Outlet Requirements.....	141	225.22	Raceways on Exterior Surfaces of Buildings or Other Structures	179
Article 215—Feeders.....		145	225.26	Trees for Conductor Support	179
215.1	Scope	145	225.27	Raceway Seals	180
215.2	Conductor Sizing.....	145	Part II. Buildings or Other Structures Supplied by a Feeder..... 180		
215.3	Overcurrent Protection Sizing.....	150	225.30	Number of Supplies	180
215.10	Ground-Fault Protection of Equipment	151	225.31	Disconnecting Means	181
215.12	Conductor Identification.....	151	225.32	Disconnecting Means Location	181
Article 220—Branch-Circuit, Feeder, and Service Load Calculations		153	225.33	Maximum Number of Disconnects.....	181
Part I. General		153	225.34	Grouping of Disconnects.....	182
220.1	Scope	153	225.37	Identification of Multiple Supplies.....	182
220.3	Application of Other Articles.....	153	225.39	Rating of Disconnecting Means.....	182
220.5	Calculations	154	Article 230—Services 183		
220.11	Floor Area	154	Part I. General		183
Part II. Branch-Circuit Load Calculations		155	230.1	Scope	183
220.12	Lighting Load for Non-Dwelling Occupancies	155	230.2	Number of Services	183
220.14	Other Loads—Occupancies	156	230.3	Not to Pass Through a Building	185
220.18	Motor-Operated Loads.....	160	230.6	Conductors Considered Outside a Building.....	185
Part III. Feeder and Service Calculations		160	230.7	Service Conductors Separate from Other Conductors	185
220.42	General Lighting Demand Factors	160	230.8	Raceway Seals	186
220.43	Show-Window and Track Lighting Loads, Commercial	161	230.9	Clearances on Buildings.....	186
220.44	Receptacle Load, Other Than Dwelling Units.....	162	230.10	Vegetation as Support.....	187
220.50	Motor Type Loads	162	Part II. Overhead Service Conductors 187		
220.51	Fixed Electric Space-Heating Load	162	230.23	Overhead Service Conductor Size and Rating	187
220.52	Small-Appliance and Laundry Loads, Dwelling	162	230.24	Vertical Clearance for Overhead Service Conductors.....	188
220.53	Appliance Load, Dwelling.....	163	230.26	Point of Attachment.....	189
220.54	Clothes Dryer Demand Load, Dwelling	164	230.27	Means of Attachment.....	189
220.55	Cooking Appliances in Dwelling Units	165	230.28	Service Masts as Support.....	189
220.56	Kitchen Equipment Load, Commercial	167	Part III. Underground Service Conductors 190		
220.60	Noncoincident Loads.....	168	230.30	Installation	190
220.61	Neutral Load	168	230.31	Underground Service Conductor Size and Rating.....	190
Part IV. Optional Calculations for Computing Feeder and Service Loads		170	230.32	Protection Against Damage	190
220.82	Optional Load Calculations, Dwellings.....	170	Part IV. Service-Entrance Conductors 191		
220.84	Optional Load Calculations, Multifamily	171	230.40	Number of Service-Entrance Conductor Sets.....	191
220.85	Optional Load Calculations, Two Dwelling Units.....	172	230.42	Conductor Sizing	191
220.87	Determining Existing Loads	172	230.43	Wiring Methods	195
Article 225—Outside Branch Circuits and Feeders		175	230.46	Spliced Conductors.....	195
Part I. General		175	230.50	Protection Against Physical Damage	196
225.1	Scope	175	230.51	Cable Supports.....	197
225.6	Minimum Conductor Size and Support.....	175	230.53	Raceways to Drain	197
225.16	Attachment of Overhead Conductors	176	230.54	Overhead Service Locations	197
225.17	Masts as Supports.....	176	230.56	High-Leg Conductor Identification.....	198
225.18	Clearance for Overhead Conductors.....	177	Part V. Service Disconnect—General 199		
			230.62	Service Equipment—Enclosed or Guarded	199
			230.66	Marking for Service Disconnect	199
			230.67	Surge Protection	199

Part VI. Service Disconnect—Disconnecting Means	200	Part II. Surge Protective Devices (SPDs), 1,000V or Less	232
230.70 Service Disconnect Requirements	200	242.6 Uses Not Permitted	232
230.71 Number of Service Disconnects	201	242.8 Listing	232
230.72 Grouping of Disconnects	202	242.10 Short-Circuit Current Rating	233
230.76 Manually or Power Operated	202	242.12 Type 1 SPDs—Line Side of Service Disconnect	233
230.79 Rating of Disconnect	202	242.14 Type 2 SPDs—Feeder Circuits	233
230.82 Connected on Supply Side of the Service Disconnect	203	242.20 Number Required	234
230.85 Emergency Disconnects	204	242.24 Routing of Surge Protection Device Conductors	234
Part VII. Service Disconnect Overcurrent Protection	204		
230.90 Overload Protection—Where Required	204		
230.91 Location	205		
230.95 Ground-Fault Protection of Equipment	206		
Article 240—Overcurrent Protection	207		
Part I. General	208	Article 250—Grounding and Bonding	235
240.1 Scope	208	Part I. General	235
240.2 Definitions	208	250.1 Scope	235
240.3 Other Articles (Overcurrent Protection of Equipment)	209	250.4 Performance Requirements for Grounding and Bonding	236
240.4 Overcurrent Protection of Conductors	209	250.6 Objectionable Current	242
240.5 Protection of Flexible Cords, Flexible Cables, and Fixture Wires	213	250.8 Connection of Grounding and Bonding Connectors	246
240.6 Standard Ampere Ratings	213	250.10 Protection of Ground Clamps and Fittings	246
240.10 Supplementary Overcurrent Protection	214	250.12 Clean Surfaces	246
240.13 Ground-Fault Protection of Equipment	214	Part II. System Grounding and Bonding	247
240.15 Phase Conductor Overcurrent Device	215	250.20 Systems Required to be Grounded	247
Part II. Location	215	250.21 Ungrounded Systems	248
240.21 Location in Circuit	215	250.24 Grounding	248
240.24 Location of Overcurrent Protective Devices at Premises	221	250.25 Grounding for Supply Side of the Service Disconnect	252
Part III. Enclosures	223	250.28 Main Bonding Jumper and System Bonding Jumper	253
240.33 Vertical Position	223	250.30 Separately Derived Systems	254
Part IV. Disconnecting and Guarding	223	250.32 Buildings Supplied by a Feeder	263
240.40 Disconnecting Means for Fuses	223	250.34 Generators—Portable and Vehicle- or Trailer-Mounted	265
Part V. Plug Fuses, Fuseholders, and Adapters	224	250.36 High-Impedance Grounded Systems	266
240.51 Edison-Base Fuses	224	Part III. Grounding Electrode System and Grounding Electrode Conductor	267
Part VI. Cartridge Fuses and Fuseholders	224	250.50 Grounding Electrode System	267
240.60 General	224	250.52 Grounding Electrode Types	267
240.67 Arc Energy Reduction—Fuses	225	250.53 Grounding Electrode Installation Requirements	270
Part VII. Circuit Breakers	226	250.54 Auxiliary Grounding Electrodes	275
240.81 Indicating	226	250.58 Common Grounding Electrode	276
240.83 Markings	226	250.62 Grounding Electrode Conductor	277
240.85 Applications	227	250.64 Grounding Electrode Conductor Installation	277
240.86 Series Ratings	228	250.66 Sizing Grounding Electrode Conductor	281
240.87 Arc Energy Reduction—Circuit Breakers	228	250.68 Grounding Electrode Conductor and Bonding Jumper Connection to Grounding Electrodes	282
240.88 Reconditioned Equipment	229	250.70 Grounding Electrode Conductor Termination Fittings	284
Article 242—Overvoltage Protection	231	Part IV. Enclosure, Raceway, and Service Cable Connections	285
Part I. General	232	250.80 Service Raceways and Enclosures	285
242.1 Scope	232	250.86 Other Enclosures	285
		Part V. Bonding for Fault Current	285
		250.90 General	285
		250.92 Bonding Equipment Containing Service Conductors	285
		250.94 Bonding Communications Systems	288
		250.96 Bonding Other Enclosures	289
		250.97 Bonding Metal Parts Containing 277V and 480V Circuits	290

250.98	Bonding Loosely Jointed Metal Raceways.....	291	300.19	Supporting Conductors in Vertical Raceways.....	350
250.102	Neutral Conductor, Bonding Conductors, and Bonding Jumpers.....	291	300.20	Induced Alternating Currents in Ferrous Metal Parts	350
250.104	Bonding of Piping Systems and Exposed Structural Metal.....	293	300.21	Spread of Fire or Products of Combustion	352
250.106	Lightning Protection Systems.....	297	300.22	Wiring in Ducts and Plenum Spaces.....	353
Part VI. Equipment Grounding and Equipment Grounding Conductors.....		298	300.23	Panels Designed to Allow Access	355
250.109	Metal Enclosures.....	298	300.25	Exit Enclosures (Stair Towers).....	355
250.114	Equipment Connected by Cord and Plug.....	298	Article 310—Conductors for General Wiring 357		
250.118	Types of Equipment Grounding Conductors.....	299	Part I. General 357		
250.119	Identification of Equipment Grounding Conductors	303	310.1	Scope	357
250.120	Equipment Grounding Conductor Installation.....	304	310.3	Conductors	357
250.121	Restricted Use of Equipment Grounding Conductors	304	Part II. Construction Specifications..... 358		
250.122	Sizing Equipment Grounding Conductors.....	304	310.4	Conductor Construction and Application	358
Part VII. Methods of Equipment Grounding Conductor Connections		308	310.6	Conductor Identification.....	361
250.134	Equipment Connected by Permanent Wiring Methods	308	Part III. Installation 361		
250.136	Equipment Secured to Grounded Metal Supports	309	310.10	Uses Permitted	361
250.138	Cord-and-Plug-Connected	309	310.12	Single-Phase Dwelling Services and Feeders.....	364
250.140	Frames of Ranges, Ovens, and Clothes Dryers.....	309	310.14	Ampacities for Conductors Rated 0V to 2,000V	367
250.142	Neutral Conductor for Effective Ground-Fault Current Path.....	310	310.15	Ampacity Tables	368
250.146	Connecting Receptacle Grounding Terminal to an Equipment Grounding Conductor.....	311	310.16	Ampacities of Insulated Conductors in Raceways, Cables, or Buried	375
250.148	Continuity and Attachment of Equipment Grounding Conductors in Boxes	314	Article 312—Cabinets 377		
Chapter 2—Practice Questions		317	Part I. Scope and Installation 377		
CHAPTER 3—WIRING METHODS AND MATERIALS 323			312.1	Scope	377
Article 300—General Requirements for Wiring Methods and Materials 327			312.2	Damp or Wet Locations	377
Part I. General Requirements 327			312.3	Position in Walls	378
300.1	Scope	327	312.4	Repairing Gaps in Noncombustible Surfaces	378
300.3	Conductors	328	312.5	Enclosures	378
300.4	Protection Against Physical Damage	331	312.6	Deflection of Conductors	380
300.5	Underground Installations.....	334	312.8	Overcurrent Device Enclosures	380
300.6	Protection Against Corrosion and Deterioration.....	338	Part II. Construction Specifications..... 382		
300.7	Raceways Exposed to Different Temperatures.....	339	312.10	Material	382
300.9	Raceways in Wet Locations Above Grade	340	Article 314—Outlet, Pull, and Junction Boxes; Conduit Bodies; and Handhole Enclosures 383		
300.10	Electrical Continuity.....	340	Part I. Scope and General 383		
300.11	Securing and Supporting	341	314.1	Scope	383
300.12	Mechanical Continuity	342	314.3	Nonmetallic Boxes	383
300.13	Mechanical and Electrical Continuity of Conductors—Splices and Pigtails.....	343	314.4	Metal Boxes	384
300.14	Length of Free Conductors	344	Part II. Installation 384		
300.15	Boxes or Fittings	345	314.15	Damp or Wet Locations	384
300.17	Number and Size of Conductors in a Raceway	347	314.16	Sizing Outlet Boxes	384
300.18	Inserting Conductors in Raceways	349	314.17	Conductors That Enter Boxes or Conduit Bodies	392
			314.20	Flush-Mounted Box Installations	393
			314.21	Repairing Noncombustible Surfaces	393
			314.22	Surface Extensions	394
			314.23	Support of Boxes.....	394

314.25	Covers and Canopies	397	Part II. Installation	420	
314.27	Outlet Box Requirements	398	334.10	Uses Permitted.....	420
314.28	Sizing Pull and Junction Boxes.....	399	334.12	Uses Not Permitted.....	420
314.29	Wiring to be Accessible	403	334.15	Exposed Work.....	421
314.30	Handhole Enclosures.....	403	334.17	Through or Parallel to Framing Members.....	422
Article 320—Armored Cable (Type AC)		405	334.23	Accessible Attics and Roof Spaces.....	423
Part I. General		405	334.24	Bending Radius	423
320.1	Scope	405	334.30	Securing and Supporting	424
320.2	Definition.....	405	334.40	Boxes and Fittings.....	424
320.6	Listing Requirements	406	334.80	Conductor Ampacity	425
Part II. Installation		406	Part III. Construction Specifications.....	426	
320.10	Uses Permitted.....	406	334.108	Equipment Grounding Conductor.....	426
320.12	Uses Not Permitted.....	406	Article 336—Power and Control Tray Cable (Type TC) 427		
320.15	Exposed Work.....	406	Part I. General		427
320.17	Through or Parallel to Framing Members.....	406	336.1	Scope	427
320.23	In Accessible Attics or Roof Spaces	407	336.2	Definition.....	427
320.24	Bending Radius	407	336.6	Listing Requirements	427
320.30	Securing and Supporting	408	Part II. Installation	427	
320.40	Boxes and Fittings.....	409	336.10	Uses Permitted	427
320.80	Conductor Ampacity	409	336.12	Uses Not Permitted.....	428
Part III. Construction Specifications.....		410	336.24	Bending Radius	428
320.100	Construction	410	Article 338—Service-Entrance Cable (Types SE and USE) 429		
320.108	Equipment Grounding Conductor	410	Part I. General		429
Article 330—Metal-Clad Cable (Type MC)		411	338.1	Scope	429
Part I. General		411	338.2	Definitions	429
330.1	Scope	411	338.6	Listing Requirements	430
330.2	Definition.....	411	Part II. Installation	430	
330.6	Listing Requirements	412	338.10	Uses Permitted	430
Part II. Installation		412	338.12	Uses Not Permitted.....	431
330.10	Uses Permitted.....	412	338.24	Bending Radius	431
330.12	Uses Not Permitted.....	413	Article 340—Underground Feeder and Branch-Circuit Cable (Type UF) 433		
330.15	Exposed Work.....	413	Part I. General		433
330.17	Through or Parallel to Framing Members.....	413	340.1	Scope	433
330.23	In Accessible Attics or Roof Spaces	413	340.2	Definition.....	433
330.24	Bending Radius	414	340.6	Listing Requirements	433
330.30	Securing and Supporting	414	Part II. Installation	433	
330.80	Conductor Ampacities	416	340.10	Uses Permitted	433
Part III. Construction Specifications.....		417	340.12	Uses Not Permitted.....	434
330.108	Equipment Grounding Conductor	417	340.24	Bends	434
Article 334—Nonmetallic-Sheathed Cable (Type NM)		419	340.80	Ampacity	434
Part I. General		419	Part III. Construction Specifications.....	434	
334.1	Scope	419	340.108	Equipment Grounding Conductor	434
334.2	Definition.....	419	340.112	Insulation	434
334.6	Listing Requirements	419			

Article 342—Intermediate Metal Conduit (Type IMC)	435	348.28 Trimming	449
Part I. General	435	348.30 Securing and Supporting	449
342.1 Scope	435	348.60 Equipment Grounding and Bonding Conductors	450
342.2 Definition.....	435		
342.6 Listing Requirements	436		
Part II. Installation	436		
342.10 Uses Permitted.....	436		
342.14 Dissimilar Metals.....	436		
342.20 Trade Size	436		
342.22 Number of Conductors	436		
342.24 Bends	436		
342.26 Number of Bends (360°).....	436		
342.28 Reaming.....	436		
342.30 Securing and Supporting	437		
342.42 Couplings and Connectors.....	438		
342.46 Bushings	438		
342.60 Equipment Grounding Conductor.....	439		
Article 344—Rigid Metal Conduit (Type RMC)	441		
Part I. General	441		
344.1 Scope	441		
344.2 Definition.....	441		
344.6 Listing Requirements	442		
Part II. Installation	442		
344.10 Uses Permitted.....	442		
344.14 Dissimilar Metals.....	442		
344.20 Trade Size	442		
344.22 Number of Conductors	442		
344.24 Bends	443		
344.26 Number of Bends (360°).....	443		
344.28 Reaming.....	443		
344.30 Securing and Supporting	443		
344.42 Couplings and Connectors.....	445		
344.46 Bushings	446		
344.60 Equipment Grounding Conductor.....	446		
Article 348—Flexible Metal Conduit (Type FMC)	447		
Part I. General	447		
348.1 Scope	447		
348.2 Definition.....	447		
348.6 Listing Requirements	447		
Part II. Installation	447		
348.10 Uses Permitted.....	447		
348.12 Uses Not Permitted.....	447		
348.20 Trade Size	448		
348.22 Number of Conductors	448		
348.24 Bends	449		
348.26 Number of Bends (360°).....	449		
Article 350—Liquidtight Flexible Metal Conduit (Type LFMC)	451		
Part I. General	451		
350.1 Scope	451		
350.2 Definition.....	451		
350.6 Listing Requirements	451		
Part II. Installation	452		
350.10 Uses Permitted.....	452		
350.12 Uses Not Permitted.....	452		
350.20 Trade Size	452		
350.22 Number of Conductors	452		
350.24 Bends	453		
350.26 Number of Bends (360°).....	453		
350.28 Trimming	453		
350.30 Securing and Supporting	453		
350.60 Equipment Grounding and Bonding Conductors	454		
Article 352—Rigid Polyvinyl Chloride Conduit (Type PVC)	457		
Part I. General	457		
352.1 Scope	457		
352.2 Definition.....	457		
Part II. Installation	457		
352.10 Uses Permitted.....	457		
352.12 Uses Not Permitted.....	458		
352.20 Trade Size	459		
352.22 Number of Conductors	459		
352.24 Bends	460		
352.26 Number of Bends (360°).....	460		
352.28 Trimming	460		
352.30 Securing and Supporting	460		
352.44 Expansion Fittings.....	461		
352.46 Bushings	462		
352.48 Joints	462		
352.60 Equipment Grounding Conductor.....	462		
Article 356—Liquidtight Flexible Nonmetallic Conduit (Type LFNC)	465		
Part I. General	465		
356.1 Scope	465		
356.2 Definition.....	465		
356.6 Listing Requirements	465		
Part II. Installation	465		
356.10 Uses Permitted.....	465		
356.12 Uses Not Permitted.....	466		

356.20	Trade Size	466	376.12	Uses Not Permitted.....	482
356.22	Number of Conductors	466	376.20	Conductors Connected in Parallel.....	482
356.24	Bends	467	376.22	Number of Conductors and Ampacity	482
356.26	Number of Bends (360°).....	467	376.23	Wireway Sizing	484
356.30	Securing and Supporting	467	376.30	Supports	485
356.42	Fittings	467	376.56	Splices, Taps, and Power Distribution Blocks	485
356.60	Equipment Grounding Conductor.....	468	Part III. Construction Specifications.....	486	
			376.100	Construction	486
Article 358—Electrical Metallic Tubing (Type EMT).....469					
Part I. General 469					
358.1	Scope	469			
358.2	Definition.....	469			
358.6	Listing Requirements	470			
Part II. Installation 470					
358.10	Uses Permitted.....	470	380.10	Uses Permitted.....	487
358.12	Uses Not Permitted.....	470	380.12	Uses Not Permitted.....	487
358.20	Trade Size	471	380.76	Through Partitions	487
358.22	Number of Conductors	471			
358.24	Bends	471			
358.26	Number of Bends (360°).....	471			
358.28	Reaming.....	471			
358.30	Securing and Supporting	472			
358.42	Couplings and Connectors.....	473			
358.60	Equipment Grounding Conductor.....	473			
Article 362—Electrical Nonmetallic Tubing (Type ENT).....475					
Part I. General 475					
362.1	Scope	475	386.1	Scope	489
362.2	Definition.....	475	386.2	Definition.....	489
362.6	Listing.....	475	386.6	Listing Requirements	490
Part II. Installation 475					
362.10	Uses Permitted.....	475	386.10	Uses Permitted.....	490
362.12	Uses Not Permitted.....	477	386.12	Uses Not Permitted.....	490
362.20	Trade Sizes.....	477	386.21	Size of Conductors.....	490
362.22	Number of Conductors	477	386.22	Number of Conductors	490
362.24	Bends	478	386.30	Securing and Supporting	491
362.26	Number of Bends (360°).....	478	386.56	Splices and Taps	491
362.28	Trimming	478	386.60	Equipment Grounding Conductor.....	491
362.30	Securing and Supporting	478	386.70	Separate Compartments.....	491
362.46	Bushings	479			
362.48	Joints.....	479			
362.60	Equipment Grounding Conductor.....	479			
Article 376—Metal Wireways.....481					
Part I. General 481					
376.1	Scope	481	392.1	Scope	493
376.2	Definition.....	481	392.2	Definition.....	493
Part II. Installation 482					
376.10	Uses Permitted.....	482			
Article 380—Multioutlet Assemblies.....487					
Part I. General 487					
380.1	Scope	487			
Part II. Installation 487					
380.10	Uses Permitted.....	487			
380.12	Uses Not Permitted.....	487			
Article 386—Surface Metal Raceways.....489					
Part I. General 489					
386.1	Scope	489			
386.2	Definition.....	489			
386.6	Listing Requirements	490			
Part II. Installation 490					
386.10	Uses Permitted.....	490			
386.12	Uses Not Permitted.....	490			
386.21	Size of Conductors.....	490			
386.22	Number of Conductors	490			
386.30	Securing and Supporting	491			
386.56	Splices and Taps	491			
386.60	Equipment Grounding Conductor.....	491			
386.70	Separate Compartments.....	491			
Article 392—Cable Trays.....493					
Part I. General 493					
392.1	Scope	493			
392.2	Definition.....	493			
Part II. Installation 493					
392.10	Uses Permitted.....	493			
392.12	Uses Not Permitted.....	495			
392.18	Cable Tray Installations	495			
392.20	Cable and Conductor Installation	496			
392.30	Securing and Supporting	496			
392.44	Expansion Splice Plates	496			
392.46	Bushed Conduit and Tubing	496			
392.56	Cable Splices	496			
392.60	Equipment Grounding Conductor.....	497			
Chapter 3—Practice Questions.....499					

CHAPTER 4—EQUIPMENT FOR GENERAL USE	505
Article 400—Flexible Cords and Flexible Cables	507
400.1 Scope	507
400.3 Suitability	507
400.4 Types of Flexible Cords and Flexible Cables.....	508
400.5 Ampacity of Flexible Cords and Flexible Cables	508
400.10 Uses Permitted.....	508
400.12 Uses Not Permitted.....	509
400.14 Pull at Joints and Terminals.....	510
400.17 Protection from Damage	510
Article 402—Fixture Wires	513
402.1 Scope	513
402.2 Other Articles.....	513
402.3 Types	513
402.5 Ampacity of Fixture Wires.....	513
402.6 Minimum Size	513
402.7 Raceway Size.....	514
402.8 Neutral Conductor.....	514
402.10 Uses Permitted.....	514
402.12 Uses Not Permitted.....	515
Article 404—Switches	517
Part I. Installation	517
404.1 Scope	517
404.2 Switch Connections.....	517
404.3 Switch Enclosures.....	519
404.4 Damp or Wet Locations.....	519
404.7 Indicating	520
404.8 Accessibility and Grouping	521
404.9 General-Use Snap Switches, Dimmers, and Control Switches	523
404.10 Mounting of Snap Switches, Dimmers, and Control Switches	524
404.12 Grounding of Enclosures.....	525
404.14 Rating and Use of Snap Switches	525
Part II. Construction Specifications	525
404.20 Switch Marking	525
404.22 Electronic Control Switches.....	526
Article 406—Receptacles, Attachment Plugs, and Cord Connectors	527
406.1 Scope	527
406.2 Definitions	527
406.3 Receptacle Rating and Type	527
406.4 General Installation Requirements.....	528
406.5 Receptacle Mounting.....	531
406.6 Receptacle Faceplates	533
406.7 Attachment Plugs and Flanged Surface Devices	534
406.9 Receptacles in Damp or Wet Locations.....	534
406.11 Connecting Receptacle Grounding Terminal to Equipment Grounding Conductor	537
406.12 Tamper-Resistant Receptacles.....	537
Article 408—Switchboards and Panelboards	539
Part I. General	539
408.1 Scope	539
408.3 Arrangement of Busbars and Conductors.....	539
408.4 Field Identification.....	540
408.5 Clearance for Conductors Entering Bus Enclosures	541
408.6 Short-Circuit Current Rating.....	542
408.7 Unused Openings.....	542
408.8 Reconditioning of Equipment	542
Part II. Switchboards and Switchgear	542
408.18 Clearances.....	542
Part III. Panelboards	543
408.36 Overcurrent Protection	543
408.37 Panelboards in Damp or Wet Locations	543
408.40 Equipment Grounding Conductor.....	543
408.41 Neutral Conductor Terminations	544
408.43 Panelboard Orientation.....	544
Article 410—Luminaires, Lampholders, and Lamps	545
Part I. General	545
410.1 Scope	545
410.2 Definitions	546
410.6 Listing Required	546
410.7 Reconditioned Equipment.....	546
Part II. Luminaire Locations	546
410.10 Luminaires in Specific Locations	546
410.16 Luminaires in Clothes Closets	548
Part III. Luminaire Outlet Boxes and Covers	549
410.22 Outlet Boxes to be Covered.....	549
410.24 Connection of Electric-Discharge and LED Luminaires	549
Part IV. Luminaire Supports	550
410.30 Supports	550
410.36 Means of Support	551
Part V. Grounding (Bonding)	552
410.44 Equipment Grounding Conductor.....	552
410.46 Equipment Grounding Conductor Attachment	552
Part VI. Wiring of Luminaires	552
410.62 Cord-Connected Luminaires	552
Part X. Special Provisions for Flush and Recessed Luminaires	553
410.115 Temperature	553
410.116 Clearance and Installation.....	553
410.118 Access to Other Boxes.....	554

Part XII. Electric-Discharge Lighting	554
410.130 General.....	554
Part XIV. Track Lighting	554
410.151 Installation	554
410.154 Fastening	555
Part XVI. Special Provisions for Horticultural Lighting Equipment	555
410.170 General.....	555
410.172 Listing.....	555
410.174 Installation and Use	555
410.176 Locations Not Permitted	555
410.178 Flexible Cord.....	555
410.180 Fittings and Connectors	555
410.182 Grounding	556
410.184 Ground-Fault Circuit-Interrupter Protection.....	556
410.186 Support	556
 Article 411—Low-Voltage Lighting	557
411.1 Scope	557
411.3 Low-Voltage Lighting Systems	557
411.4 Listing Required	557
411.5 Specific Location Requirements	558
 Article 422—Appliances	559
Part I. General	559
422.1 Scope	559
422.3 Other Articles.....	559
422.5 GFCI Protection.....	559
422.6 Listing Required	561
Part II. Branch-Circuit Requirements	561
422.10 Branch Circuits.....	561
422.11 Overcurrent Protection	561
422.12 Central Heating Equipment.....	561
422.13 Storage Water Heaters	561
422.15 Central Vacuums.....	562
422.16 Flexible Cords	563
422.18 Support of Ceiling-Suspended (Paddle) Fans	565
422.19 Space for Conductors	565
422.20 Outlet Boxes to be Covered.....	565
Part III. Disconnecting Means	565
422.30 Disconnection—General	565
422.31 Permanently Connected Appliance Disconnects.....	565
422.33 Disconnection of Cord-and-Plug-Connected or Attachment Fitting-Connected Appliances	566
 Article 424—Fixed Electric Space-Heating Equipment	567
Part I. General	567
424.1 Scope	567
424.3 Other Articles.....	567
424.4 Branch Circuits	567
Part III. Electric Space-Heating Equipment	568
424.19 Disconnecting Means.....	568
Part V. Electric Space-Heating Cables	569
424.44 Electric Heating Cables in Concrete or Masonry Floors.....	569
Part VI. Duct Heaters	569
424.65 Location of Disconnecting Means for Electric Duct Heater Controllers	569
 Article 430—Motors, Motor Circuits, and Controllers	571
Part I. General	571
430.1 Scope	571
430.2 Definitions	572
430.6 Table FLC versus Motor Nameplate Current Rating	572
430.14 Location of Motors.....	573
430.17 Highest Rated Motor.....	573
Part II. Conductor Size	574
430.22 Single Motor Conductor Size	574
430.24 Several Motors—Conductor Size	576
Part III. Motor and Branch-Circuit Overload Protection	576
430.31 Overload	576
430.32 Overload Sizing for Continuous-Duty Motors	577
Part IV. Branch-Circuit Short-Circuit and Ground-Fault Protection	579
430.51 General.....	579
430.52 Branch-Circuit Short-Circuit and Ground-Fault Protection	580
430.55 Combined Overcurrent Protective Device	581
Part V. Feeder Short-Circuit and Ground-Fault Protection	582
430.62 Motor Feeder Protection	582
Part VI. Motor Control Circuits	584
430.72 Overcurrent Protection for Control Circuits	584
430.75 Disconnect for Control Circuits	584
Part VII. Motor Controllers	584
430.83 Motor Controller Horsepower Rating	584
Part IX. Disconnecting Means	585
430.102 Disconnect Location	585
430.107 Readily Accessible	586
430.109 Type of Disconnecting Means	586
Part X. Adjustable-Speed Drive Systems	586
430.120 General	586
430.122 Conductor Sizing	586
430.124 Overload Protection	588
430.128 Disconnecting Means	588
430.130 Branch-Circuit Short-Circuit and Ground-Fault Protection	588
Part XIV. Tables	588

Article 440—Air-Conditioning and Refrigeration Equipment	591	Article 480—Storage Batteries	607
Part I. General	591	480.1 Scope	607
440.1 Scope	591	480.2 Definitions	607
440.2 Definitions	591	480.4 Battery and Cell Terminations	608
440.3 Other Articles.....	591	480.5 Wiring and Equipment Supplied from Batteries	609
440.4 Marking on Hermetic Refrigerant Motor-Compressors and Equipment.....	592	480.7 Direct-Current Disconnect Methods	609
440.9 Grounding and Bonding.....	593	480.8 Insulation of Batteries	609
Part II. Disconnecting Means	593	480.9 Battery Support Systems.....	609
440.14 Location	593	480.10 Battery Locations.....	610
Part III. Overcurrent Protection	594	480.12 Battery Interconnections.....	610
440.21 General.....	594	480.13 Ground-Fault Detection	610
440.22 Short-Circuit and Ground-Fault Overcurrent Device Size.....	594	Chapter 4—Practice Questions	611
Part IV. Conductor Sizing	595	Final Exam A—Straight Order	617
440.33 Motor-Compressor(s) With or Without Additional Motor Loads.....	595	Final Exam B—Random Order	627
Article 445—Generators	599	INDEX	637
445.1 Scope	599	About the Author	645
445.6 Listing.....	599	About the Illustrator	646
445.11 Marking	599	About the Mike Holt Team	647
445.13 Ampacity of Conductors.....	600		
445.18 Disconnecting Means and Emergency Shutdown.....	600		
Article 450—Transformers	603		
450.1 Scope	603		
450.3 Overcurrent Protection	603		
450.9 Ventilation	604		
450.10 Grounding and Bonding.....	604		
450.13 Transformer Accessibility.....	605		
450.14 Disconnecting Means	605		