

TABLE OF CONTENTS

About This Textbookxiv	110.24 Available Fault-Current Marking.....77
Additional Products to Help You Learnxviii	110.25 Lockable Disconnecting Means77
How to Use the <i>National Electrical Code</i>1	Part II. Not Over 1000V78
Article 90—Introduction to the <i>National Electrical Code</i>7	110.26 Working Spaces About Electrical Equipment78
90.1 Scope7	110.27 Protection Against Physical Damage.....88
90.2 Scope and Application of the <i>NEC</i>7	110.28 NEMA Enclosure Types.....88
90.3 Code Arrangement.....11	ANSI/NEMA 250-2020 Enclosures for Electrical Equipment88
90.4 <i>NEC</i> Enforcement.....12	110.29 In Sight From (Within Sight From, Within Sight)90
90.5 Mandatory and Permissive Rules, and Explanatory Material...13	Article 130—Energy Management Systems91
90.7 Examination of Equipment for Safety13	Part I. General91
CHAPTER 1—GENERAL RULES15	130.1 Scope91
Article 100—Definitions17	130.2 Listing Requirements92
100 Scope17	130.30 Load Management.....92
Article 110—General Requirements for Electrical Installations57	Part II. Power Control Systems (PCS)92
Part I. General Requirements57	130.50 General.....92
110.1 Scope57	130.60 Conductors and Equipment92
110.2 Approval of Conductors and Equipment.....57	130.70 Settings.....92
110.3 Installation and Use of Equipment58	130.80 Marking and Documentation93
110.5 Conductor Material59	CHAPTER 2—WIRING AND PROTECTION95
110.6 Conductor Sizes59	Article 200—Use and Identification of Grounded Conductors97
110.7 Wiring Integrity.....59	200.1 Scope98
110.8 Suitable Wiring Methods.....60	200.4 General.....98
110.9 Overcurrent Protective Device Interrupting Rating60	200.6 Neutral Conductor.....98
110.10 Equipment Short-Circuit Current Rating62	200.7 Identification of Grounded Conductors.....100
Available Fault Current62	200.8 Use of White or Gray Color101
110.11 Deteriorating Agents.....63	200.10 Receptacle and Screw Shell Terminal102
110.12 Mechanical Execution of Work64	Article 206—Non-Power-Limited Remote-Control and Signaling Circuits105
110.13 Equipment Mounting and Cooling.....66	206.1 Scope105
110.14 Electrical Connections.....66	Article 210—Branch Circuits107
110.15 High-Leg Conductor Identification.....75	Part I. General107
110.16 Arc-Flash Hazard Marking, Other Than Dwelling Units.....75	210.1 Scope107
110.21 Hazard Markings.....76	210.4 Multiwire Branch Circuits.....108
110.22 Identification of Disconnecting Means77	210.5 Conductor Identification.....112

210.6	Branch-Circuit Voltage.....	113	230.10	Vegetation as Support.....	160
210.7	Multiple Branch Circuits.....	114	Part II. Overhead Service Conductors		160
210.8	GFCI Protection.....	114	230.23	Overhead Service Conductor Size and Ampacity.....	160
210.11	Branch Circuits Required.....	125	230.24	Vertical Clearance for Overhead Service Conductors.....	161
210.12	Arc-Fault Circuit-Interrupter Protection.....	129	230.26	Point of Attachment.....	161
Part II. Branch-Circuit Ratings		132	230.27	Means of Attachment.....	161
210.18	Branch Circuit Rating.....	132	230.28	Service Masts as Support.....	161
210.19	Conductor Sizing.....	133	Part III. Underground Service Conductors		162
210.20	Overcurrent Protection.....	135	230.30	Installation.....	162
Article 215—Feeders		137	230.31	Underground Service Conductor Ampacity.....	163
215.1	Scope.....	137	230.32	Protection Against Damage.....	163
215.4	Conductor Sizing.....	138	Part IV. Service-Entrance Conductors		163
215.5	Overcurrent Protection Sizing.....	141	230.42	Conductor Sizing.....	163
215.12	Conductor Identification.....	141	230.43	Wiring Methods.....	164
215.15	Barriers.....	142	230.46	Spliced and Tapped Connections.....	165
215.18	Surge Protection.....	143	230.50	Protection Against Physical Damage.....	165
Article 225—Outside Branch Circuits and Feeders		145	230.51	Cable Supports.....	166
Part I. General		145	230.53	Raceways to Drain.....	166
225.1	Scope.....	145	230.54	Overhead Service Locations.....	166
225.6	Minimum Conductor Size and Support.....	145	Part V. Service Equipment (Disconnect)—General		167
225.16	Attachment to Buildings.....	146	230.62	Service Equipment—Barrier Placement.....	167
225.17	Masts as Supports.....	146	230.66	Marking for Service Equipment.....	167
225.18	Clearance for Overhead Conductors.....	146	230.67	Surge Protection.....	167
225.19	Clearances from Buildings.....	147	230.68	Meter Socket.....	168
225.22	Raceways on Exterior Surfaces of Buildings.....	148	Part VI. Service Disconnect—Disconnecting Means		169
225.26	Trees for Conductor Support.....	149	230.70	Service Disconnect Requirements.....	169
225.27	Raceway Seals.....	149	230.71	Number of Service Disconnects.....	171
Part II. Buildings or Other Structures Supplied by a Feeder		149	230.72	Grouping of Service Disconnects.....	172
225.30	Number of Supplies.....	149	230.79	Rating of Disconnect.....	173
225.31	Disconnecting Means.....	150	230.82	Connected on Supply Side of the Service Disconnect.....	173
225.33	Maximum Number of Disconnects.....	151	Part VII. Service Conductor Overcurrent Protection		175
225.34	Grouping of Disconnects.....	151	230.90	Overload Protection—Where Required.....	175
225.37	Identification of Multiple Supplies.....	152	Article 240—Overcurrent Protection		177
225.39	Rating of Disconnecting Means.....	152	Part I. General		178
225.41	Emergency Disconnect.....	152	240.1	Scope.....	178
Article 230—Services		155	240.2	Listing Requirements.....	178
Part I. General		156	240.4	Overcurrent Protection of Conductors.....	178
230.1	Scope.....	156	240.5	Overcurrent Protection of Flexible Cords, Flexible Cables, and Fixture Wires.....	182
230.2	Listing Requirements.....	156	240.6	Standard Ampere Ratings.....	182
230.4	Number of Services.....	157	240.15	Circuit Breaker Handle Ties.....	183
230.6	Conductors Considered Outside a Building.....	158	Part II. Location of Overcurrent Protective Device		185
230.7	Service Conductors Separate from Other Conductors.....	158	240.21	Location of Overcurrent Protective Device in Circuit.....	185
230.8	Raceway Seals.....	159	240.22	Grounded-Phase Conductor on Overcurrent Protective Device.....	192
230.9	Clearances on Buildings.....	159	240.24	Location of Overcurrent Protective Devices.....	193

Part III. Enclosures Containing Overcurrent Protective Devices	195	Part IV. Enclosure and Raceway	248
240.33 Vertical Position of Enclosures	195	250.80 Service Raceways and Enclosures	248
Part V. Plug Fuses, Fuseholders, and Adapters	195	250.86 Other than Service Enclosures and Raceways	249
240.51 Edison-Base Fuses	195	Part V. Bonding	249
Part VI. Cartridge Fuses	196	250.92 Bonding Metal Service Raceways and Enclosures	249
240.60 General	196	250.94 Intersystem Bonding Termination	252
Part VII. Circuit Breakers	196	250.96 Bonding Metal Parts	253
240.80 Method of Operation	196	250.97 Bonding Metal Raceways and Metal Cables Containing	
240.81 Indicating	196	480Y/277V Circuits	254
240.85 Circuit Breaker Applications	197	250.98 Bonding Loosely Jointed Metal Raceways	255
Article 250—Grounding and Bonding	199	250.102 Bonding Jumper Sizing	255
Part I. General	200	250.104 Bonding of Metal Piping Systems and Exposed Structural	
250.1 Scope	200	Metal	258
250.4 Performance Requirements for Grounding and Bonding	200	250.106 Lightning Protection Systems	262
Earth Shells	204	Part VI. Equipment Grounding Conductors	263
250.6 Objectionable Current (Ground Loop)	205	250.109 Bonding Metal and Nonmetallic Enclosures	263
Objectionable Neutral Currents	206	250.114 Equipment Connected by Cord and Plug	264
Dangers of Objectionable Current	207	250.118 Types of Equipment Grounding Conductors	264
250.8 Connection of Grounding and Bonding Conductors and		250.119 Identification of Wire-Type Equipment Grounding	
Terminals	208	Conductors	268
250.10 Protection of Ground Clamps and Fittings	209	250.120 Equipment Grounding Conductor Installation	268
250.12 Clean Surfaces	209	250.122 Sizing Wire-Type Equipment Grounding Conductors	269
Part II. System Grounding and Bonding	209	250.124 Equipment Grounding Conductor Continuity	272
250.20 Systems Required to be Grounded	209	Part VII. Equipment Grounding Conductor Connections	272
250.24 Service Grounding	210	250.134 Equipment Connected by Permanent Wiring Methods	272
250.25 Grounding of Systems on the Supply Side of the Service		250.138 Cord-and-Plug-Connected	272
Disconnect	213	250.140 Ranges, Ovens, Cooktops, and Clothes Dryers	273
250.28 Main Bonding Jumper and System Bonding Jumper	213	250.142 Use of Neutral Conductor for Grounding Equipment	274
250.30 Transformer Separately Derived Systems	216	250.146 Receptacle Grounding Terminal Bonding	275
250.32 Buildings Supplied by a Feeder	224	250.148 Continuity and Connections of Equipment Grounding	
250.34 Portable and Vehicle- or Trailer-Mounted Generators	226	Conductors in Boxes	278
250.35 Permanently Installed Generators	227	CHAPTER 3—WIRING METHODS AND	
250.36 Impedance Grounded Systems—480V to 1000V	228	MATERIALS	281
Part III. Grounding Electrode System and Grounding Electrode		Article 300—General Requirements for Wiring Methods	
Conductor	229	and Materials	283
250.50 Grounding Electrode System	229	Part I. General Requirements	283
250.52 Grounding Electrode Types	230	300.1 Scope	283
250.53 Grounding Electrode Installation	233	300.4 Fire and Water Damage	284
Measuring Contact Resistance of Electrodes to Earth	234	300.5 Conductors	284
250.54 Auxiliary Grounding Electrodes	237	300.6 Protection Against Physical Damage	287
250.60 Lightning Protection Electrode	239	300.7 Underground Installations	291
250.64 Grounding Electrode Conductor Installation	240	300.8 Protection Against Corrosion	294
250.66 Sizing Grounding Electrode Conductors	244	300.9 Raceways Exposed to Different Temperatures	295
250.68 Grounding Electrode Conductor Termination	245	300.11 Raceways in Wet Locations	296
250.70 Grounding Electrode Conductor Fittings	247		

300.12	Electrical Continuity.....	296	314.6	Metal Boxes.....	340
300.13	Securing and Supporting.....	297	314.7	Screws or Other Fasteners.....	340
300.14	Mechanical Continuity.....	299	Part II. Installation		340
300.15	Mechanical and Electrical Continuity of Conductors.....	300	314.15	Wet Locations.....	340
300.16	Conductor Length at Boxes.....	302	314.16	Outlet Box Sizing.....	341
300.17	Boxes or Fittings, Splices and Terminations.....	302	314.17	Cables That Enter Boxes.....	348
300.19	Number and Size of Conductors in a Raceway.....	304	314.20	Flush-Mounted Boxes.....	348
300.20	Raceway Installations.....	306	314.21	Repairing Noncombustible Surfaces.....	349
300.21	Supporting Conductors in Vertical Raceways.....	306	314.22	Surface Extensions.....	350
300.22	Reducing Hysteresis Heating.....	306	314.23	Supporting Enclosures.....	350
300.23	Spread of Fire or Products of Combustion.....	307	314.25	Box Covers.....	353
300.24	Total Raceway Bends.....	309	314.27	Box Requirements.....	354
300.25	Wiring in Ducts and Plenum Spaces.....	309	314.28	Pull and Junction Boxes.....	356
300.26	Panels Designed to Allow Access.....	311	314.29	Wiring to be Accessible.....	357
			314.30	Handhole Enclosures.....	359
Article 310—Conductors for General Wiring		313	Article 320—Armored Cable (AC Cable)		361
Part I. General		313	Part I. General		361
310.1	Scope.....	313	320.1	Scope.....	361
310.2	Listing Requirements.....	313	320.2	Listing Requirements.....	361
Part II. Construction Specifications		313	Part II. Installation		362
310.4	Conductor Construction and Application.....	313	320.10	Uses Permitted.....	362
310.5	Conductors, Minimum Size and Material.....	315	320.12	Uses Not Permitted.....	362
310.6	Conductor Identification.....	316	320.15	Exposed Work.....	362
Part III. Installation		317	320.17	Through or Parallel to Framing Members.....	362
310.10	Uses Permitted.....	317	320.23	In Accessible Attic Spaces.....	362
310.12	Dwelling Services and Feeders.....	320	320.24	Bending Radius.....	363
310.14	Ampacities for Conductors.....	322	320.30	Securing and Supporting.....	363
310.15	Ampacity Tables.....	322	320.40	Boxes and Fittings.....	364
310.16	Insulated Conductors.....	330	320.80	Conductor Ampacity.....	365
Article 312—Cabinets and Meter Socket Enclosures		333	Part III. Construction Specifications		365
Part I. General		333	320.108	Equipment Grounding Conductor.....	365
312.1	Scope.....	333	Article 330—Metal-Clad Cable (MC Cable)		367
312.2	Listing Requirements.....	333	Part I. General		367
312.4	Damp or Wet Locations.....	333	330.1	Scope.....	367
312.5	Position in Walls.....	334	330.2	Listing Requirements.....	367
312.7	Repairing Gaps in Noncombustible Surfaces.....	334	Part II. Installation		368
312.8	Cable Termination to Enclosures.....	334	330.10	Uses Permitted.....	368
312.11	Overcurrent Protective Device and Switch Enclosures.....	336	330.12	Uses Not Permitted.....	368
312.13	Screws or Other Fasteners.....	337	330.15	Exposed Work.....	369
Article 314—Boxes, Conduit Bodies, and Handhole Enclosures		339	330.17	Through or Parallel to Framing Members.....	369
Part I. General		339	330.23	In Accessible Attics Spaces.....	369
314.1	Scope.....	339	330.24	Bending Radius.....	370
314.2	Listing Requirements.....	339	330.30	Securing and Supporting.....	370
314.5	Nonmetallic Boxes.....	340	330.80	Conductor Ampacities.....	371

Part III. Construction Specifications	371	Part II. Installation	390
330.108 Equipment Grounding Conductor.....	371	340.10 Uses Permitted.....	390
Article 334—Nonmetallic-Sheathed Cable (NM Cable)	373	340.12 Uses Not Permitted.....	390
Part I. General	373	340.24 Bends	390
334.1 Scope	373	340.80 Conductor Ampacity.....	390
334.2 Listing Requirements	374	Article 342—Intermediate Metal Conduit (IMC)	393
Part II. Installation	374	Part I. General	393
334.10 Uses Permitted.....	374	342.1 Scope	393
334.12 Uses Not Permitted.....	375	342.2 Listing Requirements	393
334.15 Exposed Work.....	376	Part II. Installation	394
334.17 Through or Parallel to Framing Members.....	377	342.10 Uses Permitted.....	394
334.19 Cables Entering Enclosures	378	342.14 Dissimilar Metals.....	394
334.23 In Accessible Attic Spaces.....	378	342.20 Trade Size	394
334.24 Bending Radius	379	342.22 Number of Conductors	394
334.30 Securing and Supporting	379	342.24 Bends	394
334.40 Boxes and Fittings.....	380	342.28 Reaming.....	394
334.80 Conductor Ampacity.....	380	342.29 Paired Locknuts	395
Part III. Construction Specifications	382	342.30 Securing and Supporting	395
334.108 Equipment Grounding Conductor.....	382	342.42 Couplings and Connectors.....	397
Article 336—Power and Control Tray Cable (TC Cable)	383	342.46 Bushings	397
Part I. General	383	342.60 Equipment Grounding Conductor.....	398
336.1 Scope	383	Article 344—Rigid Metal Conduit (RMC)	399
336.2 Listing Requirements	383	Part I. General	399
Part II. Installation	384	344.1 Scope	399
336.10 Uses Permitted.....	384	344.2 Listing Requirements	399
336.12 Uses Not Permitted.....	384	Part II. Installation	400
336.24 Bending Radius	384	344.10 Uses Permitted.....	400
336.30 Securing and Supporting	384	344.14 Dissimilar Metals.....	400
Article 338—Service-Entrance Cable (SE and USE Cable)	385	344.20 Trade Size	400
Part I. General	385	344.22 Number of Conductors	400
338.1 Scope	385	344.24 Bends	400
338.2 Listing Requirements	386	344.28 Reaming.....	401
Part II. Installation	386	344.29 Paired Locknuts	401
338.10 Uses Permitted.....	386	344.30 Securing and Supporting	401
338.12 Uses Not Permitted.....	386	344.42 Couplings and Connectors.....	403
338.24 Bending Radius	387	344.46 Bushings	404
Article 340—Underground Feeder and Branch-Circuit Cable (UF Cable)	389	344.60 Equipment Grounding Conductor.....	404
Part I. General	389	Article 348—Flexible Metal Conduit (FMC)	407
340.1 Scope	389	Part I. General	407
340.2 Listing Requirements	389	348.1 Scope	407
		348.2 Listing Requirements	407
		Part II. Installation	407
		348.10 Uses Permitted.....	407
		348.12 Uses Not Permitted.....	408

348.20	Trade Size	408	356.20	Trade Size	424
348.22	Number of Conductors	408	356.22	Number of Conductors	424
348.24	Bends	409	356.24	Bends	424
348.28	Trimming	409	356.30	Securing and Supporting	425
348.30	Securing and Supporting	409	356.42	Fittings	425
348.42	Connectors	410			
348.60	Equipment Grounding and Bonding Conductors	410			
Article 350—Liquidtight Flexible Metal Conduit (LFMC)			Article 358—Electrical Metallic Tubing (EMT)		
Part I. General			Part I. General		
350.1	Scope	411	358.1	Scope	427
350.2	Listing Requirements	412	358.2	Listing Requirements	427
Part II. Installation			Part II. Installation		
350.10	Uses Permitted	412	358.10	Uses Permitted	428
350.12	Uses Not Permitted	412	358.12	Uses Not Permitted	428
350.20	Trade Size	412	358.20	Trade Size	429
350.22	Number of Conductors	412	358.22	Number of Conductors	429
350.24	Bends	413	358.24	Bends	429
350.28	Trimming	413	358.28	Reaming	430
350.30	Securing and Supporting	413	358.30	Securing and Supporting	430
350.42	Connectors	414	358.42	Couplings and Connectors	431
350.60	Equipment Grounding and Bonding Conductors	414	358.60	Equipment Grounding Conductor	432
Article 352—Rigid Polyvinyl Chloride Conduit (PVC)			Article 362—Electrical Nonmetallic Tubing (ENT)		
Part I. General			Part I. General		
352.1	Scope	415	362.1	Scope	433
352.2	Listing	416	362.2	Listing	433
Part II. Installation			Part II. Installation		
352.10	Uses Permitted	416	362.10	Uses Permitted	434
352.12	Uses Not Permitted	417	362.12	Uses Not Permitted	435
352.20	Trade Size	417	362.20	Trade Sizes	435
352.22	Number of Conductors	417	362.22	Number of Conductors	436
352.24	Bends	418	362.24	Bends	436
352.28	Trimming	418	362.28	Trimming	436
352.30	Securing and Supporting	419	362.30	Securing and Supporting	436
352.44	Expansion Fittings	419	362.46	Bushings	437
352.46	Bushing or Adapter	420	362.48	Joints	437
Article 356—Liquidtight Flexible Nonmetallic Conduit (LFNC)			Article 376—Metal Wireways		
Part I. General			Part I. General		
356.1	Scope	423	376.1	Scope	439
356.2	Listing Requirements	423	Part II. Installation		
Part II. Installation			376.10	Uses Permitted	439
356.10	Uses Permitted	423	376.12	Uses Not Permitted	440
356.12	Uses Not Permitted	424	376.20	Conductors Connected in Parallel	440
			376.21	Size of Conductors	440
			376.22	Number of Conductors and Ampacity	440
			376.23	Wireway Sizing	442
			376.30	Supports	443

376.56	Splices, Taps, and Power Distribution Blocks	443	400.13	Splices	465
376.60	Equipment Grounding Conductor	444	400.14	Pull at Joints and Terminals	465
Article 380—Multioutlet Assemblies		447	400.17	Protection from Damage	465
Part I. General		447	Article 404—Switches		
380.1	Scope	447	Part I. Installation		
380.2	Listing Requirements	447	404.1	Scope	467
Part II. Installation		447	404.2	Listing Requirements	467
380.10	Uses Permitted	447	404.5	Switch and Circuit Breaker Enclosures	468
380.12	Uses Not Permitted	448	404.6	Damp or Wet Locations	468
380.76	Through Partitions	448	404.9	Indicating	469
Article 386—Surface Metal Raceways		449	404.10	Accessibility and Grouping	469
Part I. General		449	404.12	Bonding of Enclosures	469
386.1	Scope	449	Part II. Construction Specifications		
386.2	Listing Requirements	449	404.20	Switch Marking	470
Part II. Installation		450	Article 406—Wiring Devices		
386.10	Uses Permitted	450	Part I. General		
386.12	Uses Not Permitted	450	406.1	Scope	473
386.21	Size of Conductors	450	406.2	Listing Requirements	473
386.22	Number of Conductors	450	406.9	Wiring Devices in Damp or Wet Locations	473
386.30	Supporting	451	406.10	Wiring Device Terminations	477
386.56	Splices and Taps	451	Part II. Receptacles, Cord Connectors, and Attachment Plugs (Caps) ..		
386.60	Equipment Grounding Conductor	451	406.11	Receptacle Rating and Type	478
Article 392—Cable Trays		453	406.12	General Installation Requirements	479
Part I. General		453	406.14	Receptacle Mounting	481
392.1	Scope	453	406.16	Receptacle Faceplates or Cover Plates	484
Part II. Installation		453	406.18	Attachment Plugs and Flanged Surface Inlets	484
392.10	Uses Permitted	453	406.26	Tamper-Resistant Receptacles	484
392.12	Uses Not Permitted	455	Part III. General-Use Snap Switches, Dimmers, and Electronic		
392.18	Cable Tray Installations	455	Control Switches		
392.20	Cable and Conductor Installation	456	406.30	Switch Connections	486
392.30	Securing and Supporting	456	406.38	Accessibility and Grouping	488
392.44	Expansion Splice Plates	456	406.40	Switches, Dimmers, and Control Switches	488
392.46	Bushed Conduit and Tubing	456	406.42	Snap Switches, Dimmers, and Control Switches Mounting ..	490
392.56	Cable Splices	457	406.46	Snap Switch Rating and Use	491
CHAPTER 4—EQUIPMENT FOR GENERAL USE		459	Article 408—Switchboards and Panelboards		
Article 400—Flexible Cords		461	Part I. General		
400.1	Scope	461	408.1	Scope	493
400.4	Flexible Cords Types	461	408.4	Circuit Directory and Description	493
400.5	Flexible Cord Ampacity	462	408.5	Clearance for Conductors Entering Bus Enclosures	495
400.7	Suitability	462	408.6	Short-Circuit Current Rating	495
400.10	Uses Permitted	462	408.7	Unused Openings	496
400.12	Uses Not Permitted	464	408.9	Replacement Panelboards	496
			408.10	Busbars and Conductors Arrangement	497
			408.14	Panelboard and Switchboard Ampere Rating	498

Part VI. Source Connections.....582
 690.59 Connection to Other Power Sources.....582

Article 691—Large-Scale Photovoltaic (PV) Electric Supply Stations.....583
 691.1 Scope583
 691.2 Listing Requirements583
 691.4 Special Requirements for Large-Scale PV Electric Supply Stations.....583
 691.6 Engineered Design.....584
 691.7 Conformance of Construction to Engineered Design.....584
 691.8 Direct-Current Operating Voltage584
 691.9 Disconnect for Isolating Photovoltaic Equipment.....584
 691.10 Fire Mitigation.....585
 691.11 Bonding and Grounding.....585

CHAPTER 7—SPECIFIC CONDITIONS AND SYSTEMS.....587

Article 702—Optional Standby Systems589
Part I. General589
 702.1 Scope589
 702.4 Capacity and Rating.....590
 702.5 Interconnection or Transfer Equipment.....591

Article 705—Interconnected Electric Power Production Sources.....595

Part I. General595
 705.1 Scope595
 705.2 Listing Requirements595
 705.8 Qualified Persons596
 705.10 Power Source Identification.....597
 705.11 Service Connection.....598
 705.12 Load-Side Connection599
 705.13 Power Control Systems604
 705.20 Power Source Output Conductor Disconnect604
 705.25 Wiring Methods.....606
 705.28 Power Source Output Current and Circuit Sizing.....606
 705.30 Overcurrent Protection608
 705.40 Primary Source Loss611
 705.45 Unbalanced Interconnections.....612

Part II. Microgrid Systems612
 705.50 Microgrid System Operation.....612
 705.60 Connections to Utility Power.....613
 705.70 Microgrid Interconnect Devices (MID).....613

Article 706—Energy Storage Systems.....615
Part I. General615
 706.1 Scope615
 706.2 Listing Requirements615
 706.4 Markings615
 706.5 Qualified Persons616
 706.6 Multiple Systems.....617
 706.7 Commissioning and Servicing.....617

Part II. Disconnect.....618
 706.15 Disconnect.....618

Part IV. Energy Storage System Circuit Requirements620
 706.30 Circuit Current Rating620
 706.31 Overcurrent Protection.....621

Article 710—Stand-Alone Systems.....623
 710.1 Scope623
 710.2 Listing Requirements623
 710.10 Power Source Identification.....623
 710.15 System and Circuit Sizing.....624

EXAM B—STRAIGHT ORDER—ARTICLES 624–710625

FINAL EXAM—RANDOM ORDER—ARTICLES 90–710.....635

INDEX.....649

About the Author659

About The Mike Holt Team661